

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------|--|--------------------|---------------------|--------|---------|
| 1 | AD | Alzheimer disease | 331 | G30.9, F02.80 | 331 | F02.80 |
| 2 | AD | Alzheimer disease | 331 | G30.9, F02.80 | 331 | G30.9 |
| 3 | AD | Alzheimer disease | 331 | G30.9, F02.80 | 331 | F02.80 |
| 4 | AD | Alzheimer disease | 331 | G30.9, F02.80 | 331 | G30.9 |
| 5 | AD | Alzheimer disease type 3 | 331 | G30.0, F02.80 | 331 | F02.80 |
| 6 | AD | Alzheimer disease type 3 | 331 | G30.0, F02.80 | 331 | G30.0 |
| 7 | AD | Alzheimer's dementia | 331.0, 294.10 | G30.9, F02.80 | 331 | F02.80 |
| 8 | AD | Alzheimer's dementia | 331.0, 294.10 | G30.9, F02.80 | 294.1 | F02.80 |
| 9 | AD | Alzheimer's dementia | 331.0, 294.10 | G30.9, F02.80 | 331 | G30.9 |
| 10 | AD | Alzheimer's dementia | 331.0, 294.10 | G30.9, F02.80 | 294.1 | G30.9 |
| 11 | AD | Alzheimer's dementia of other onset with behavioral disturbance | 331.0, 294.11 | G30.8, F02.818 | 331 | F02.818 |
| 12 | AD | Alzheimer's dementia of other onset with behavioral disturbance | 331.0, 294.11 | G30.8, F02.818 | 294.11 | F02.818 |
| 13 | AD | Alzheimer's dementia of other onset with behavioral disturbance | 331.0, 294.11 | G30.8, F02.818 | 331 | G30.8 |
| 14 | AD | Alzheimer's dementia of other onset with behavioral disturbance | 331.0, 294.11 | G30.8, F02.818 | 294.11 | G30.8 |
| 15 | AD | Alzheimer's dementia of other onset, with agitation, unspecified dementia severity | 331.0, 294.11 | G30.8, F02.811 | 331 | F02.811 |
| 16 | AD | Alzheimer's dementia of other onset, with agitation, unspecified dementia severity | 331.0, 294.11 | G30.8, F02.811 | 294.11 | F02.811 |
| 17 | AD | Alzheimer's dementia of other onset, with agitation, unspecified dementia severity | 331.0, 294.11 | G30.8, F02.811 | 331 | G30.8 |
| 18 | AD | Alzheimer's dementia of other onset, with agitation, unspecified dementia severity | 331.0, 294.11 | G30.8, F02.811 | 294.11 | G30.8 |
| 19 | AD | Alzheimer's dementia of other onset, with psychotic disturbance, unspecified dementia severity | 331.0, 294.11 | G30.8, F02.82 | 331 | F02.82 |
| 20 | AD | Alzheimer's dementia of other onset, with psychotic disturbance, unspecified dementia severity | 331.0, 294.11 | G30.8, F02.82 | 294.11 | F02.82 |
| 21 | AD | Alzheimer's dementia of other onset, with psychotic disturbance, unspecified dementia severity | 331.0, 294.11 | G30.8, F02.82 | 331 | G30.8 |
| 22 | AD | Alzheimer's dementia of other onset, with psychotic disturbance, unspecified dementia severity | 331.0, 294.11 | G30.8, F02.82 | 294.11 | G30.8 |
| 23 | AD | Alzheimer's dementia with behavioral disturbance | 331.0, 294.11 | G30.9, F02.818 | 331 | F02.818 |
| 24 | AD | Alzheimer's dementia with behavioral disturbance | 331.0, 294.11 | G30.9, F02.818 | 294.11 | F02.818 |
| 25 | AD | Alzheimer's dementia with behavioral disturbance | 331.0, 294.11 | G30.9, F02.818 | 331 | G30.9 |
| 26 | AD | Alzheimer's dementia with behavioral disturbance | 331.0, 294.11 | G30.9, F02.818 | 294.11 | G30.9 |
| 27 | AD | Alzheimer's dementia with behavioral disturbance, unspecified timing of dementia onset | 331.0, 294.11 | G30.9, F02.81 | 331 | F02.81 |
| 28 | AD | Alzheimer's dementia with behavioral disturbance, unspecified timing of dementia onset | 331.0, 294.11 | G30.9, F02.81 | 294.11 | F02.81 |
| 29 | AD | Alzheimer's dementia with behavioral disturbance, unspecified timing of dementia onset | 331.0, 294.11 | G30.9, F02.81 | 331 | G30.9 |
| 30 | AD | Alzheimer's dementia with behavioral disturbance, unspecified timing of dementia onset | 331.0, 294.11 | G30.9, F02.81 | 294.11 | G30.9 |
| 31 | AD | Alzheimer's dementia without behavioral disturbance | 331.0, 294.10 | G30.9, F02.80 | 331 | F02.80 |
| 32 | AD | Alzheimer's dementia without behavioral disturbance | 331.0, 294.10 | G30.9, F02.80 | 294.1 | F02.80 |
| 33 | AD | Alzheimer's dementia without behavioral disturbance | 331.0, 294.10 | G30.9, F02.80 | 331 | G30.9 |
| 34 | AD | Alzheimer's dementia without behavioral disturbance | 331.0, 294.10 | G30.9, F02.80 | 294.1 | G30.9 |
| 35 | AD | Alzheimer's dementia without behavioral disturbance, unspecified timing of dementia onset | 331.0, 294.10 | G30.9, F02.80 | 331 | F02.80 |
| 36 | AD | Alzheimer's dementia without behavioral disturbance, unspecified timing of dementia onset | 331.0, 294.10 | G30.9, F02.80 | 294.1 | F02.80 |
| 37 | AD | Alzheimer's dementia without behavioral disturbance, unspecified timing of dementia onset | 331.0, 294.10 | G30.9, F02.80 | 331 | G30.9 |
| 38 | AD | Alzheimer's dementia without behavioral disturbance, unspecified timing of dementia onset | 331.0, 294.10 | G30.9, F02.80 | 294.1 | G30.9 |
| 39 | AD | Alzheimer's dementia, late onset | 331 | G30.1, F02.80 | 331 | F02.80 |
| 40 | AD | Alzheimer's dementia, late onset | 331 | G30.1, F02.80 | 331 | G30.1 |
| 41 | AD | Alzheimer's dementia, late onset, with behavioral disturbance | 331.0, 294.11 | G30.1, F02.818 | 331 | F02.818 |
| 42 | AD | Alzheimer's dementia, late onset, with behavioral disturbance | 331.0, 294.11 | G30.1, F02.818 | 294.11 | F02.818 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------|--|--------------------|---------------------|--------|---------|
| 43 | AD | Alzheimer's dementia, late onset, with behavioral disturbance | 331.0, 294.11 | G30.1, F02.818 | 331 | G30.1 |
| 44 | AD | Alzheimer's dementia, late onset, with behavioral disturbance | 331.0, 294.11 | G30.1, F02.818 | 294.11 | G30.1 |
| 45 | AD | Alzheimer's dementia, unspecified dementia severity, unspecified timing of dementia onset, unspecified whether behavioral, psychotic, or mood disturbance or anxiety | 331.0, 294.10 | G30.9, F02.80 | 331 | G30.9 |
| 46 | AD | Alzheimer's dementia, unspecified dementia severity, unspecified timing of dementia onset, unspecified whether behavioral, psychotic, or mood disturbance or anxiety | 331.0, 294.10 | G30.9, F02.80 | 294.1 | G30.9 |
| 47 | AD | Alzheimer's dementia, unspecified dementia severity, unspecified timing of dementia onset, unspecified whether behavioral, psychotic, or mood disturbance or anxiety | 331.0, 294.10 | G30.9, F02.80 | 331 | F02.80 |
| 48 | AD | Alzheimer's dementia, unspecified dementia severity, unspecified timing of dementia onset, unspecified whether behavioral, psychotic, or mood disturbance or anxiety | 331.0, 294.10 | G30.9, F02.80 | 294.1 | F02.80 |
| 49 | AD | Alzheimer's disease | 331 | G30.9, F02.80 | 331 | F02.80 |
| 50 | AD | Alzheimer's disease | 331 | G30.9, F02.80 | 331 | G30.9 |
| 51 | AD | Alzheimer's disease | NULL | G30 | NULL | G30 |
| 52 | AD | Alzheimer's disease | 331 | G30.9, F02.80 | 331 | G30.9 |
| 53 | AD | Alzheimer's disease | 331 | G30.9, F02.80 | 331 | F02.80 |
| 54 | AD | Alzheimer's disease associated with mutation in APOE gene | 331 | G30.9, F02.80 | 331 | F02.80 |
| 55 | AD | Alzheimer's disease associated with mutation in APOE gene | 331 | G30.9, F02.80 | 331 | G30.9 |
| 56 | AD | Alzheimer's disease of other onset | 331 | G30.8, F02.80 | 331 | F02.80 |
| 57 | AD | Alzheimer's disease of other onset | 331 | G30.8, F02.80 | 331 | G30.8 |
| 58 | AD | Alzheimer's disease of other onset with behavioral disturbance | 331.0, 294.11 | G30.8, F02.818 | 331 | F02.818 |
| 59 | AD | Alzheimer's disease of other onset with behavioral disturbance | 331.0, 294.11 | G30.8, F02.818 | 294.11 | F02.818 |
| 60 | AD | Alzheimer's disease of other onset with behavioral disturbance | 331.0, 294.11 | G30.8, F02.818 | 331 | G30.8 |
| 61 | AD | Alzheimer's disease of other onset with behavioral disturbance | 331.0, 294.11 | G30.8, F02.818 | 294.11 | G30.8 |
| 62 | AD | Alzheimer's disease of other onset without behavioral disturbance | 331.0, 294.10 | G30.8, F02.80 | 331 | F02.80 |
| 63 | AD | Alzheimer's disease of other onset without behavioral disturbance | 331.0, 294.10 | G30.8, F02.80 | 294.1 | F02.80 |
| 64 | AD | Alzheimer's disease of other onset without behavioral disturbance | 331.0, 294.10 | G30.8, F02.80 | 331 | G30.8 |
| 65 | AD | Alzheimer's disease of other onset without behavioral disturbance | 331.0, 294.10 | G30.8, F02.80 | 294.1 | G30.8 |
| 66 | AD | Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.9, F02.818 | 331 | F02.818 |
| 67 | AD | Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.9, F02.818 | 294.11 | F02.818 |
| 68 | AD | Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.9, F02.818 | 331 | G30.9 |
| 69 | AD | Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.9, F02.818 | 294.11 | G30.9 |
| 70 | AD | Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.9, F02.818 | 294.11 | F02.818 |
| 71 | AD | Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.9, F02.818 | 331 | F02.818 |
| 72 | AD | Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.9, F02.818 | 331 | G30.9 |
| 73 | AD | Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.9, F02.818 | 294.11 | G30.9 |
| 74 | AD | Alzheimer's disease with late onset | NULL | G30.1 | NULL | G30.1 |
| 75 | AD | Alzheimer's disease with late onset | 331.0, 294.10 | G30.1, F02.80 | 331 | F02.80 |
| 76 | AD | Alzheimer's disease with late onset | 331.0, 294.10 | G30.1, F02.80 | 294.1 | F02.80 |
| 77 | AD | Alzheimer's disease with late onset | 331.0, 294.10 | G30.1, F02.80 | 331 | G30.1 |
| 78 | AD | Alzheimer's disease with late onset | 331.0, 294.10 | G30.1, F02.80 | 294.1 | G30.1 |
| 79 | AD | Alzheimer's disease with late onset | 331.0, 294.10 | G30.1, F02.80 | 294.1 | G30.1 |
| 80 | AD | Alzheimer's disease with late onset | 331.0, 294.10 | G30.1, F02.80 | 294.1 | F02.80 |
| 81 | AD | Alzheimer's disease with late onset | 331.0, 294.10 | G30.1, F02.80 | 331 | F02.80 |
| 82 | AD | Alzheimer's disease with late onset | 331.0, 294.10 | G30.1, F02.80 | 331 | G30.1 |
| 83 | AD | Alzheimer's disease with late onset (CODE) | 331.0, 294.10 | G30.1 | 331 | G30.1 |
| 84 | AD | Alzheimer's disease with late onset (CODE) | 331.0, 294.10 | G30.1 | 294.1 | G30.1 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------|--|----------------------|---------------------|--------|---------|
| 85 | AD | Alzheimer's disease, unspecified | 331 | G30.9, F02.80 | 331 | F02.80 |
| 86 | AD | Alzheimer's disease, unspecified | 331 | G30.9, F02.80 | 331 | G30.9 |
| 87 | AD | Alzheimer's disease, unspecified | NULL | G30.9 | NULL | G30.9 |
| 88 | AD | Alzheimer's type dementia | 331.0, 294.10 | G30.9, F02.80 | 331 | F02.80 |
| 89 | AD | Alzheimer's type dementia | 331.0, 294.10 | G30.9, F02.80 | 294.1 | F02.80 |
| 90 | AD | Alzheimer's type dementia | 331.0, 294.10 | G30.9, F02.80 | 331 | G30.9 |
| 91 | AD | Alzheimer's type dementia | 331.0, 294.10 | G30.9, F02.80 | 294.1 | G30.9 |
| 92 | AD | Alzheimer's type dementia with late onset with behavioral disturbance | 331.0, 294.11 | G30.1, F02.818 | 331 | F02.818 |
| 93 | AD | Alzheimer's type dementia with late onset with behavioral disturbance | 331.0, 294.11 | G30.1, F02.818 | 294.11 | F02.818 |
| 94 | AD | Alzheimer's type dementia with late onset with behavioral disturbance | 331.0, 294.11 | G30.1, F02.818 | 331 | G30.1 |
| 95 | AD | Alzheimer's type dementia with late onset with behavioral disturbance | 331.0, 294.11 | G30.1, F02.818 | 294.11 | G30.1 |
| 96 | AD | Alzheimer's type dementia with late onset without behavioral disturbance | 331.0, 294.10 | G30.1, F02.80 | 331 | F02.80 |
| 97 | AD | Alzheimer's type dementia with late onset without behavioral disturbance | 331.0, 294.10 | G30.1, F02.80 | 294.1 | F02.80 |
| 98 | AD | Alzheimer's type dementia with late onset without behavioral disturbance | 331.0, 294.10 | G30.1, F02.80 | 331 | G30.1 |
| 99 | AD | Alzheimer's type dementia with late onset without behavioral disturbance | 331.0, 294.10 | G30.1, F02.80 | 294.1 | G30.1 |
| 100 | AD | Alzheimers disease | 331 | G30.9, F02.80 | 331 | F02.80 |
| 101 | AD | Alzheimers disease | 331 | G30.9, F02.80 | 331 | G30.9 |
| 102 | AD | Behavioral disturbance due to late onset Alzheimer dementia | 331.0, 294.11 | G30.1, F02.818 | 331 | G30.1 |
| 103 | AD | Behavioral disturbance due to late onset Alzheimer dementia | 331.0, 294.11 | G30.1, F02.818 | 294.11 | G30.1 |
| 104 | AD | Behavioral disturbance due to late onset Alzheimer dementia | 331.0, 294.11 | G30.1, F02.818 | 331 | F02.818 |
| 105 | AD | Behavioral disturbance due to late onset Alzheimer dementia | 331.0, 294.11 | G30.1, F02.818 | 294.11 | F02.818 |
| 106 | AD | Dementia due to Alzheimer's disease | 331.0, 294.10 | G30.9, F02.80 | 331 | F02.80 |
| 107 | AD | Dementia due to Alzheimer's disease | 331.0, 294.10 | G30.9, F02.80 | 294.1 | F02.80 |
| 108 | AD | Dementia due to Alzheimer's disease | 331.0, 294.10 | G30.9, F02.80 | 331 | G30.9 |
| 109 | AD | Dementia due to Alzheimer's disease | 331.0, 294.10 | G30.9, F02.80 | 294.1 | G30.9 |
| 110 | AD | Dementia in Alzheimer's disease | 331.0, 294.10 | G30.9, F02.80 | 331 | F02.80 |
| 111 | AD | Dementia in Alzheimer's disease | 331.0, 294.10 | G30.9, F02.80 | 294.1 | F02.80 |
| 112 | AD | Dementia in Alzheimer's disease | 331.0, 294.10 | G30.9, F02.80 | 331 | G30.9 |
| 113 | AD | Dementia in Alzheimer's disease | 331.0, 294.10 | G30.9, F02.80 | 294.1 | G30.9 |
| 114 | AD | Dementia in Alzheimer's disease with delusions | 331.0, 294.10, 297.9 | G30.9, F02.82 | 331 | F02.82 |
| 115 | AD | Dementia in Alzheimer's disease with delusions | 331.0, 294.10, 297.9 | G30.9, F02.82 | 294.1 | F02.82 |
| 116 | AD | Dementia in Alzheimer's disease with delusions | 331.0, 294.10, 297.9 | G30.9, F02.82 | 297.9 | F02.82 |
| 117 | AD | Dementia in Alzheimer's disease with delusions | 331.0, 294.10, 297.9 | G30.9, F02.82 | 331 | G30.9 |
| 118 | AD | Dementia in Alzheimer's disease with delusions | 331.0, 294.10, 297.9 | G30.9, F02.82 | 294.1 | G30.9 |
| 119 | AD | Dementia in Alzheimer's disease with delusions | 331.0, 294.10, 297.9 | G30.9, F02.82 | 297.9 | G30.9 |
| 120 | AD | Dementia in Alzheimer's disease with depression | 331.0, 294.10, 311 | G30.9, F02.83 | 331 | F02.83 |
| 121 | AD | Dementia in Alzheimer's disease with depression | 331.0, 294.10, 311 | G30.9, F02.83 | 294.1 | F02.83 |
| 122 | AD | Dementia in Alzheimer's disease with depression | 331.0, 294.10, 311 | G30.9, F02.83 | 311 | F02.83 |
| 123 | AD | Dementia in Alzheimer's disease with depression | 331.0, 294.10, 311 | G30.9, F02.83 | 331 | G30.9 |
| 124 | AD | Dementia in Alzheimer's disease with depression | 331.0, 294.10, 311 | G30.9, F02.83 | 294.1 | G30.9 |
| 125 | AD | Dementia in Alzheimer's disease with depression | 331.0, 294.10, 311 | G30.9, F02.83 | 311 | G30.9 |
| 126 | AD | Dementia in Alzheimer's disease with late onset | 331.0, 294.10 | G30.1, F02.80 | 331 | F02.80 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------|--|--------------------|---------------------|--------|---------|
| 127 | AD | Dementia in Alzheimer's disease with late onset | 331.0, 294.10 | G30.1, F02.80 | 294.1 | F02.80 |
| 128 | AD | Dementia in Alzheimer's disease with late onset | 331.0, 294.10 | G30.1, F02.80 | 331 | G30.1 |
| 129 | AD | Dementia in Alzheimer's disease with late onset | 331.0, 294.10 | G30.1, F02.80 | 294.1 | G30.1 |
| 130 | AD | Dementia of the Alzheimer's type | 331.0, 294.10 | G30.9, F02.80 | 331 | F02.80 |
| 131 | AD | Dementia of the Alzheimer's type | 331.0, 294.10 | G30.9, F02.80 | 294.1 | F02.80 |
| 132 | AD | Dementia of the Alzheimer's type | 331.0, 294.10 | G30.9, F02.80 | 331 | G30.9 |
| 133 | AD | Dementia of the Alzheimer's type | 331.0, 294.10 | G30.9, F02.80 | 294.1 | G30.9 |
| 134 | AD | Dementia of the Alzheimer's type with early onset without behavioral disturbance | 331.0, 294.10 | G30.0, F02.80 | 331 | F02.80 |
| 135 | AD | Dementia of the Alzheimer's type with early onset without behavioral disturbance | 331.0, 294.10 | G30.0, F02.80 | 294.1 | F02.80 |
| 136 | AD | Dementia of the Alzheimer's type with early onset without behavioral disturbance | 331.0, 294.10 | G30.0, F02.80 | 331 | G30.0 |
| 137 | AD | Dementia of the Alzheimer's type with early onset without behavioral disturbance | 331.0, 294.10 | G30.0, F02.80 | 294.1 | G30.0 |
| 138 | AD | Dementia of the Alzheimer's type with late onset without behavioral disturbance | 331.0, 294.10 | G30.1, F02.80 | 331 | F02.80 |
| 139 | AD | Dementia of the Alzheimer's type with late onset without behavioral disturbance | 331.0, 294.10 | G30.1, F02.80 | 294.1 | F02.80 |
| 140 | AD | Dementia of the Alzheimer's type with late onset without behavioral disturbance | 331.0, 294.10 | G30.1, F02.80 | 331 | G30.1 |
| 141 | AD | Dementia of the Alzheimer's type with late onset without behavioral disturbance | 331.0, 294.10 | G30.1, F02.80 | 294.1 | G30.1 |
| 142 | AD | Dementia of the Alzheimer's type, with early onset, with depressive mood | 331.0, 290.13 | G30.0, F02.83 | 331 | F02.83 |
| 143 | AD | Dementia of the Alzheimer's type, with early onset, with depressive mood | 331.0, 290.13 | G30.0, F02.83 | 290.13 | F02.83 |
| 144 | AD | Dementia of the Alzheimer's type, with early onset, with depressive mood | 331.0, 290.13 | G30.0, F02.83 | 331 | G30.0 |
| 145 | AD | Dementia of the Alzheimer's type, with early onset, with depressive mood | 331.0, 290.13 | G30.0, F02.83 | 290.13 | G30.0 |
| 146 | AD | Dementia of the Alzheimer's type, with late onset, uncomplicated | 331.0, 294.10 | G30.1, F02.80 | 331 | F02.80 |
| 147 | AD | Dementia of the Alzheimer's type, with late onset, uncomplicated | 331.0, 294.10 | G30.1, F02.80 | 294.1 | F02.80 |
| 148 | AD | Dementia of the Alzheimer's type, with late onset, uncomplicated | 331.0, 294.10 | G30.1, F02.80 | 331 | G30.1 |
| 149 | AD | Dementia of the Alzheimer's type, with late onset, uncomplicated | 331.0, 294.10 | G30.1, F02.80 | 294.1 | G30.1 |
| 150 | AD | Dementia of the Alzheimer's type, with late onset, with delirium | 331.0, 294.11 | G30.1, F02.82 | 331 | F02.82 |
| 151 | AD | Dementia of the Alzheimer's type, with late onset, with delirium | 331.0, 294.11 | G30.1, F02.82 | 294.11 | F02.82 |
| 152 | AD | Dementia of the Alzheimer's type, with late onset, with delirium | 331.0, 294.11 | G30.1, F02.82 | 331 | G30.1 |
| 153 | AD | Dementia of the Alzheimer's type, with late onset, with delirium | 331.0, 294.11 | G30.1, F02.82 | 294.11 | G30.1 |
| 154 | AD | Dementia of the Alzheimer's type, with late onset, with delusions | 331.0, 290.20 | G30.1, F02.818 | 331 | F02.818 |
| 155 | AD | Dementia of the Alzheimer's type, with late onset, with delusions | 331.0, 290.20 | G30.1, F02.818 | 290.2 | F02.818 |
| 156 | AD | Dementia of the Alzheimer's type, with late onset, with delusions | 331.0, 290.20 | G30.1, F02.818 | 331 | G30.1 |
| 157 | AD | Dementia of the Alzheimer's type, with late onset, with delusions | 331.0, 290.20 | G30.1, F02.818 | 290.2 | G30.1 |
| 158 | AD | Dementia of the Alzheimer's type, with late onset, with depressed mood | 331.0, 294.10, 311 | G30.1, F02.83 | 331 | F02.83 |
| 159 | AD | Dementia of the Alzheimer's type, with late onset, with depressed mood | 331.0, 294.10, 311 | G30.1, F02.83 | 294.1 | F02.83 |
| 160 | AD | Dementia of the Alzheimer's type, with late onset, with depressed mood | 331.0, 294.10, 311 | G30.1, F02.83 | 311 | F02.83 |
| 161 | AD | Dementia of the Alzheimer's type, with late onset, with depressed mood | 331.0, 294.10, 311 | G30.1, F02.83 | 331 | G30.1 |
| 162 | AD | Dementia of the Alzheimer's type, with late onset, with depressed mood | 331.0, 294.10, 311 | G30.1, F02.83 | 294.1 | G30.1 |
| 163 | AD | Dementia of the Alzheimer's type, with late onset, with depressed mood | 331.0, 294.10, 311 | G30.1, F02.83 | 311 | G30.1 |
| 164 | AD | Dementia of the Alzheimer's type, with late onset, with depressive mood | 331.0, 294.10, 311 | G30.1, F02.83 | 331 | F02.83 |
| 165 | AD | Dementia of the Alzheimer's type, with late onset, with depressive mood | 331.0, 294.10, 311 | G30.1, F02.83 | 294.1 | F02.83 |
| 166 | AD | Dementia of the Alzheimer's type, with late onset, with depressive mood | 331.0, 294.10, 311 | G30.1, F02.83 | 311 | F02.83 |
| 167 | AD | Dementia of the Alzheimer's type, with late onset, with depressive mood | 331.0, 294.10, 311 | G30.1, F02.83 | 331 | G30.1 |
| 168 | AD | Dementia of the Alzheimer's type, with late onset, with depressive mood | 331.0, 294.10, 311 | G30.1, F02.83 | 294.1 | G30.1 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------|--|-----------------------|-----------------------|--------|---------|
| 169 | AD | Dementia of the Alzheimer's type, with late onset, with depressive mood | 331.0, 294.10, 311 | G30.1, F02.83 | 311 | G30.1 |
| 170 | AD | Dementia, Alzheimer's, with behavior disturbance | 331.0, 294.11 | G30.9, F02.818 | 331 | F02.818 |
| 171 | AD | Dementia, Alzheimer's, with behavior disturbance | 331.0, 294.11 | G30.9, F02.818 | 294.11 | F02.818 |
| 172 | AD | Dementia, Alzheimer's, with behavior disturbance | 331.0, 294.11 | G30.9, F02.818 | 331 | G30.9 |
| 173 | AD | Dementia, Alzheimer's, with behavior disturbance | 331.0, 294.11 | G30.9, F02.818 | 294.11 | G30.9 |
| 174 | AD | Depressed mood in Alzheimer's disease | 331.0, 294.10, 799.29 | G30.9, F02.80, R45.89 | 331 | R45.89 |
| 175 | AD | Depressed mood in Alzheimer's disease | 331.0, 294.10, 799.29 | G30.9, F02.80, R45.89 | 294.1 | R45.89 |
| 176 | AD | Depressed mood in Alzheimer's disease | 331.0, 294.10, 799.29 | G30.9, F02.80, R45.89 | 799.29 | R45.89 |
| 177 | AD | Depressed mood in Alzheimer's disease | 331.0, 294.10, 799.29 | G30.9, F02.80, R45.89 | 331 | F02.80 |
| 178 | AD | Depressed mood in Alzheimer's disease | 331.0, 294.10, 799.29 | G30.9, F02.80, R45.89 | 294.1 | F02.80 |
| 179 | AD | Depressed mood in Alzheimer's disease | 331.0, 294.10, 799.29 | G30.9, F02.80, R45.89 | 799.29 | F02.80 |
| 180 | AD | Depressed mood in Alzheimer's disease | 331.0, 294.10, 799.29 | G30.9, F02.80, R45.89 | 331 | G30.9 |
| 181 | AD | Depressed mood in Alzheimer's disease | 331.0, 294.10, 799.29 | G30.9, F02.80, R45.89 | 294.1 | G30.9 |
| 182 | AD | Depressed mood in Alzheimer's disease | 331.0, 294.10, 799.29 | G30.9, F02.80, R45.89 | 799.29 | G30.9 |
| 183 | AD | Late onset Alzheimer disease | 331.0, 294.10 | G30.1, F02.80 | 331 | F02.80 |
| 184 | AD | Late onset Alzheimer disease | 331.0, 294.10 | G30.1, F02.80 | 294.1 | F02.80 |
| 185 | AD | Late onset Alzheimer disease | 331.0, 294.10 | G30.1, F02.80 | 331 | G30.1 |
| 186 | AD | Late onset Alzheimer disease | 331.0, 294.10 | G30.1, F02.80 | 294.1 | G30.1 |
| 187 | AD | Late onset Alzheimer disease | 331.0, 294.10 | G30.1, F02.80 | 294.1 | G30.1 |
| 188 | AD | Late onset Alzheimer disease | 331.0, 294.10 | G30.1, F02.80 | 294.1 | F02.80 |
| 189 | AD | Late onset Alzheimer disease | 331.0, 294.10 | G30.1, F02.80 | 331 | F02.80 |
| 190 | AD | Late onset Alzheimer disease | 331.0, 294.10 | G30.1, F02.80 | 331 | G30.1 |
| 191 | AD | Late onset Alzheimer's dementia with behavioral disturbance | 331.0, 294.11 | G30.1, F02.818 | 331 | F02.818 |
| 192 | AD | Late onset Alzheimer's dementia with behavioral disturbance | 331.0, 294.11 | G30.1, F02.818 | 294.11 | F02.818 |
| 193 | AD | Late onset Alzheimer's dementia with behavioral disturbance | 331.0, 294.11 | G30.1, F02.818 | 331 | G30.1 |
| 194 | AD | Late onset Alzheimer's dementia with behavioral disturbance | 331.0, 294.11 | G30.1, F02.818 | 294.11 | G30.1 |
| 195 | AD | Late onset Alzheimer's dementia with other behavioral disturbance, unspecified dementia severity | 331.0, 294.11 | G30.1, F02.818 | 331 | F02.818 |
| 196 | AD | Late onset Alzheimer's dementia with other behavioral disturbance, unspecified dementia severity | 331.0, 294.11 | G30.1, F02.818 | 294.11 | F02.818 |
| 197 | AD | Late onset Alzheimer's dementia with other behavioral disturbance, unspecified dementia severity | 331.0, 294.11 | G30.1, F02.818 | 331 | G30.1 |
| 198 | AD | Late onset Alzheimer's dementia with other behavioral disturbance, unspecified dementia severity | 331.0, 294.11 | G30.1, F02.818 | 294.11 | G30.1 |
| 199 | AD | Late onset Alzheimer's dementia without behavioral disturbance | 331.0, 294.10 | G30.1, F02.80 | 331 | F02.80 |
| 200 | AD | Late onset Alzheimer's dementia without behavioral disturbance | 331.0, 294.10 | G30.1, F02.80 | 294.1 | F02.80 |
| 201 | AD | Late onset Alzheimer's dementia without behavioral disturbance | 331.0, 294.10 | G30.1, F02.80 | 331 | G30.1 |
| 202 | AD | Late onset Alzheimer's dementia without behavioral disturbance | 331.0, 294.10 | G30.1, F02.80 | 294.1 | G30.1 |
| 203 | AD | Late onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety, unspecified dementia severity | 331.0, 294.10 | G30.1, F02.80 | 294.1 | G30.1 |
| 204 | AD | Late onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety, unspecified dementia severity | 331.0, 294.10 | G30.1, F02.80 | 294.1 | F02.80 |
| 205 | AD | Late onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety, unspecified dementia severity | 331.0, 294.10 | G30.1, F02.80 | 331 | F02.80 |
| 206 | AD | Late onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety, unspecified dementia severity | 331.0, 294.10 | G30.1, F02.80 | 331 | G30.1 |
| 207 | AD | Late onset Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.1, F02.818 | 331 | F02.818 |
| 208 | AD | Late onset Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.1, F02.818 | 294.11 | F02.818 |
| 209 | AD | Late onset Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.1, F02.818 | 331 | G30.1 |
| 210 | AD | Late onset Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.1, F02.818 | 294.11 | G30.1 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------|---|--------------------|---------------------|--------|---------|
| 211 | AD | Late onset Alzheimer's disease without behavioral disturbance | 331.0, 294.10 | G30.1, F02.80 | 331 | F02.80 |
| 212 | AD | Late onset Alzheimer's disease without behavioral disturbance | 331.0, 294.10 | G30.1, F02.80 | 294.1 | F02.80 |
| 213 | AD | Late onset Alzheimer's disease without behavioral disturbance | 331.0, 294.10 | G30.1, F02.80 | 331 | G30.1 |
| 214 | AD | Late onset Alzheimer's disease without behavioral disturbance | 331.0, 294.10 | G30.1, F02.80 | 294.1 | G30.1 |
| 215 | AD | Major neurocognitive disorder due to Alzheimer's disease | 331.0, 294.10 | G30.9, F02.80 | 331 | F02.80 |
| 216 | AD | Major neurocognitive disorder due to Alzheimer's disease | 331.0, 294.10 | G30.9, F02.80 | 294.1 | F02.80 |
| 217 | AD | Major neurocognitive disorder due to Alzheimer's disease | 331.0, 294.10 | G30.9, F02.80 | 331 | G30.9 |
| 218 | AD | Major neurocognitive disorder due to Alzheimer's disease | 331.0, 294.10 | G30.9, F02.80 | 294.1 | G30.9 |
| 219 | AD | Major neurocognitive disorder due to Alzheimer's disease, possible | 294.2 | F03.90 | 294.2 | F03.90 |
| 220 | AD | Major neurocognitive disorder due to Alzheimer's disease, probable, with behavioral disturbance | 294.2 | F03.91 | 294.2 | F03.91 |
| 221 | AD | Major neurocognitive disorder due to Alzheimer's disease, probable, without behavioral disturbance | 294.2 | F03.90 | 294.2 | F03.90 |
| 222 | AD | Major neurocognitive disorder due to possible Alzheimer's disease | 294.2 | F03.90 | 294.2 | F03.90 |
| 223 | AD | Major neurocognitive disorder due to possible Alzheimer's disease | 294.2 | F03.90 | 294.2 | F03.90 |
| 224 | AD | Major neurocognitive disorder due to possible Alzheimer's disease, without behavioral disturbance | 294.2 | F03.90 | 294.2 | F03.90 |
| 225 | AD | Major neurocognitive disorder due to possible frontotemporal lobar degeneration | 294.2 | F03.90 | 294.2 | F03.90 |
| 226 | AD | Major neurocognitive disorder due to possible frontotemporal lobar degeneration, without behavioral disturbance | 294.2 | F03.90 | 294.2 | F03.90 |
| 227 | AD | Major neurocognitive disorder due to probable Alzheimer's disease, without behavioral disturbance | 294.2 | F03.90 | 294.2 | F03.90 |
| 228 | AD | Major neurocognitive disorder, due to Alzheimer's disease, without behavioral disturbance, mild | 331.0, 294.9 | G30.9, F02.A0 | 331 | F02.A0 |
| 229 | AD | Major neurocognitive disorder, due to Alzheimer's disease, without behavioral disturbance, mild | 331.0, 294.9 | G30.9, F02.A0 | 294.9 | F02.A0 |
| 230 | AD | Major neurocognitive disorder, due to Alzheimer's disease, without behavioral disturbance, mild | 331.0, 294.9 | G30.9, F02.A0 | 331 | G30.9 |
| 231 | AD | Major neurocognitive disorder, due to Alzheimer's disease, without behavioral disturbance, mild | 331.0, 294.9 | G30.9, F02.A0 | 294.9 | G30.9 |
| 232 | AD | Major neurocognitive disorder, due to Alzheimer's disease, without behavioral disturbance, moderate | 331.0, 294.9 | G30.9, F02.B0 | 331 | F02.B0 |
| 233 | AD | Major neurocognitive disorder, due to Alzheimer's disease, without behavioral disturbance, moderate | 331.0, 294.9 | G30.9, F02.B0 | 294.9 | F02.B0 |
| 234 | AD | Major neurocognitive disorder, due to Alzheimer's disease, without behavioral disturbance, moderate | 331.0, 294.9 | G30.9, F02.B0 | 331 | G30.9 |
| 235 | AD | Major neurocognitive disorder, due to Alzheimer's disease, without behavioral disturbance, moderate | 331.0, 294.9 | G30.9, F02.B0 | 294.9 | G30.9 |
| 236 | AD | Mild Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety, unspecified timing of dementia onset | 331.0, 294.10 | G30.9, F02.A0 | 331 | F02.A0 |
| 237 | AD | Mild Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety, unspecified timing of dementia onset | 331.0, 294.10 | G30.9, F02.A0 | 294.1 | F02.A0 |
| 238 | AD | Mild Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety, unspecified timing of dementia onset | 331.0, 294.10 | G30.9, F02.A0 | 331 | G30.9 |
| 239 | AD | Mild Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety, unspecified timing of dementia onset | 331.0, 294.10 | G30.9, F02.A0 | 294.1 | G30.9 |
| 240 | AD | Mild late onset Alzheimer's dementia with anxiety | 331.0, 294.11 | G30.1, F02.A4 | 331 | F02.A4 |
| 241 | AD | Mild late onset Alzheimer's dementia with anxiety | 331.0, 294.11 | G30.1, F02.A4 | 294.11 | F02.A4 |
| 242 | AD | Mild late onset Alzheimer's dementia with anxiety | 331.0, 294.11 | G30.1, F02.A4 | 331 | G30.1 |
| 243 | AD | Mild late onset Alzheimer's dementia with anxiety | 331.0, 294.11 | G30.1, F02.A4 | 294.11 | G30.1 |
| 244 | AD | Mild late onset Alzheimer's dementia with other behavioral disturbance | 331.0, 294.11 | G30.1, F02.A18 | 331 | F02.A18 |
| 245 | AD | Mild late onset Alzheimer's dementia with other behavioral disturbance | 331.0, 294.11 | G30.1, F02.A18 | 294.11 | F02.A18 |
| 246 | AD | Mild late onset Alzheimer's dementia with other behavioral disturbance | 331.0, 294.11 | G30.1, F02.A18 | 331 | G30.1 |
| 247 | AD | Mild late onset Alzheimer's dementia with other behavioral disturbance | 331.0, 294.11 | G30.1, F02.A18 | 294.11 | G30.1 |
| 248 | AD | Mild late onset Alzheimer's dementia with psychotic disturbance | 331.0, 294.11 | G30.1, F02.A2 | 331 | G30.1 |
| 249 | AD | Mild late onset Alzheimer's dementia with psychotic disturbance | 331.0, 294.11 | G30.1, F02.A2 | 294.11 | G30.1 |
| 250 | AD | Mild late onset Alzheimer's dementia with psychotic disturbance | 331.0, 294.11 | G30.1, F02.A2 | 331 | F02.A2 |
| 251 | AD | Mild late onset Alzheimer's dementia with psychotic disturbance | 331.0, 294.11 | G30.1, F02.A2 | 294.11 | F02.A2 |
| 252 | AD | Mild late onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety | 331.0, 294.10 | G30.1, F02.A0 | 331 | F02.A0 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------|--|-----------------------|-------------------------|---------|---------|
| 253 | AD | Mild late onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety | 331.0, 294.10 | G30.1, F02.A0 | 294.1 | F02.A0 |
| 254 | AD | Mild late onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety | 331.0, 294.10 | G30.1, F02.A0 | 331 | G30.1 |
| 255 | AD | Mild late onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety | 331.0, 294.10 | G30.1, F02.A0 | 294.1 | G30.1 |
| 256 | AD | Mild major neurocognitive disorder due to Alzheimer's disease with behavioral disturbance | 331.0, 294.9 | G30.9, F02.A18 | 331 | F02.A18 |
| 257 | AD | Mild major neurocognitive disorder due to Alzheimer's disease with behavioral disturbance | 331.0, 294.9 | G30.9, F02.A18 | 294.9 | F02.A18 |
| 258 | AD | Mild major neurocognitive disorder due to Alzheimer's disease with behavioral disturbance | 331.0, 294.9 | G30.9, F02.A18 | 331 | G30.9 |
| 259 | AD | Mild major neurocognitive disorder due to Alzheimer's disease with behavioral disturbance | 331.0, 294.9 | G30.9, F02.A18 | 294.9 | G30.9 |
| 260 | AD | Mild major neurocognitive disorder due to Alzheimer's disease without behavioral disturbance | 331.0, 294.9 | G30.9, F02.A0 | 331 | F02.A0 |
| 261 | AD | Mild major neurocognitive disorder due to Alzheimer's disease without behavioral disturbance | 331.0, 294.9 | G30.9, F02.A0 | 294.9 | F02.A0 |
| 262 | AD | Mild major neurocognitive disorder due to Alzheimer's disease without behavioral disturbance | 331.0, 294.9 | G30.9, F02.A0 | 331 | G30.9 |
| 263 | AD | Mild major neurocognitive disorder due to Alzheimer's disease without behavioral disturbance | 331.0, 294.9 | G30.9, F02.A0 | 294.9 | G30.9 |
| 264 | AD | Mild neurocognitive disorder due to Alzheimer's disease | 331 | G30.9, F06.70 | 331 | F06.70 |
| 265 | AD | Mild neurocognitive disorder due to Alzheimer's disease | 331 | G30.9, F06.70 | 331 | G30.9 |
| 266 | AD | Mild possible major neurocognitive disorder due to Alzheimer's disease | IMO0001 | IMO0001 | IMO0001 | IMO0001 |
| 267 | AD | Mild probable major neurocognitive disorder due to Alzheimer's disease without behavioral disturbance | 294.2 | F03.90 | 294.2 | F03.90 |
| 268 | AD | Mixed Alzheimer's and vascular dementia | 331.0, 294.10, 290.40 | G30.9, F01.50, F02.80 | 331 | F02.80 |
| 269 | AD | Mixed Alzheimer's and vascular dementia | 331.0, 294.10, 290.40 | G30.9, F01.50, F02.80 | 294.1 | F02.80 |
| 270 | AD | Mixed Alzheimer's and vascular dementia | 331.0, 294.10, 290.40 | G30.9, F01.50, F02.80 | 290.4 | F02.80 |
| 271 | AD | Mixed Alzheimer's and vascular dementia | 331.0, 294.10, 290.40 | G30.9, F01.50, F02.80 | 331 | F01.50 |
| 272 | AD | Mixed Alzheimer's and vascular dementia | 331.0, 294.10, 290.40 | G30.9, F01.50, F02.80 | 294.1 | F01.50 |
| 273 | AD | Mixed Alzheimer's and vascular dementia | 331.0, 294.10, 290.40 | G30.9, F01.50, F02.80 | 290.4 | F01.50 |
| 274 | AD | Mixed Alzheimer's and vascular dementia | 331.0, 294.10, 290.40 | G30.9, F01.50, F02.80 | 331 | G30.9 |
| 275 | AD | Mixed Alzheimer's and vascular dementia | 331.0, 294.10, 290.40 | G30.9, F01.50, F02.80 | 294.1 | G30.9 |
| 276 | AD | Mixed Alzheimer's and vascular dementia | 331.0, 294.10, 290.40 | G30.9, F01.50, F02.80 | 290.4 | G30.9 |
| 277 | AD | Mixed Alzheimer's and vascular dementia with behavior disturbances | 331.0, 294.11, 290.40 | G30.9, F01.518, F02.818 | 331 | F02.818 |
| 278 | AD | Mixed Alzheimer's and vascular dementia with behavior disturbances | 331.0, 294.11, 290.40 | G30.9, F01.518, F02.818 | 294.11 | F02.818 |
| 279 | AD | Mixed Alzheimer's and vascular dementia with behavior disturbances | 331.0, 294.11, 290.40 | G30.9, F01.518, F02.818 | 290.4 | F02.818 |
| 280 | AD | Mixed Alzheimer's and vascular dementia with behavior disturbances | 331.0, 294.11, 290.40 | G30.9, F01.518, F02.818 | 331 | F01.518 |
| 281 | AD | Mixed Alzheimer's and vascular dementia with behavior disturbances | 331.0, 294.11, 290.40 | G30.9, F01.518, F02.818 | 294.11 | F01.518 |
| 282 | AD | Mixed Alzheimer's and vascular dementia with behavior disturbances | 331.0, 294.11, 290.40 | G30.9, F01.518, F02.818 | 290.4 | F01.518 |
| 283 | AD | Mixed Alzheimer's and vascular dementia with behavior disturbances | 331.0, 294.11, 290.40 | G30.9, F01.518, F02.818 | 331 | G30.9 |
| 284 | AD | Mixed Alzheimer's and vascular dementia with behavior disturbances | 331.0, 294.11, 290.40 | G30.9, F01.518, F02.818 | 294.11 | G30.9 |
| 285 | AD | Mixed Alzheimer's and vascular dementia with behavior disturbances | 331.0, 294.11, 290.40 | G30.9, F01.518, F02.818 | 290.4 | G30.9 |
| 286 | AD | Moderate Alzheimer's dementia with mood disturbance, unspecified timing of dementia onset | 331.0, 294.11 | G30.9, F02.B3 | 331 | F02.B3 |
| 287 | AD | Moderate Alzheimer's dementia with mood disturbance, unspecified timing of dementia onset | 331.0, 294.11 | G30.9, F02.B3 | 294.11 | F02.B3 |
| 288 | AD | Moderate Alzheimer's dementia with mood disturbance, unspecified timing of dementia onset | 331.0, 294.11 | G30.9, F02.B3 | 331 | G30.9 |
| 289 | AD | Moderate Alzheimer's dementia with mood disturbance, unspecified timing of dementia onset | 331.0, 294.11 | G30.9, F02.B3 | 294.11 | G30.9 |
| 290 | AD | Moderate Alzheimer's dementia with other behavioral disturbance, unspecified timing of dementia onset | 331.0, 294.11 | G30.9, F02.B18 | 331 | G30.9 |
| 291 | AD | Moderate Alzheimer's dementia with other behavioral disturbance, unspecified timing of dementia onset | 331.0, 294.11 | G30.9, F02.B18 | 294.11 | G30.9 |
| 292 | AD | Moderate Alzheimer's dementia with other behavioral disturbance, unspecified timing of dementia onset | 331.0, 294.11 | G30.9, F02.B18 | 331 | F02.B18 |
| 293 | AD | Moderate Alzheimer's dementia with other behavioral disturbance, unspecified timing of dementia onset | 331.0, 294.11 | G30.9, F02.B18 | 294.11 | F02.B18 |
| 294 | AD | Moderate late onset Alzheimer's dementia with agitation | 331.0, 294.11 | G30.1, F02.B11 | 331 | F02.B11 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------|--|----------------------|---------------------|---------|---------|
| 295 | AD | Moderate late onset Alzheimer's dementia with agitation | 331.0, 294.11 | G30.1, F02.B11 | 294.11 | F02.B11 |
| 296 | AD | Moderate late onset Alzheimer's dementia with agitation | 331.0, 294.11 | G30.1, F02.B11 | 331 | G30.1 |
| 297 | AD | Moderate late onset Alzheimer's dementia with agitation | 331.0, 294.11 | G30.1, F02.B11 | 294.11 | G30.1 |
| 298 | AD | Moderate late onset Alzheimer's dementia with anxiety | 331.0, 294.11 | G30.1, F02.B4 | 294.11 | F02.B4 |
| 299 | AD | Moderate late onset Alzheimer's dementia with anxiety | 331.0, 294.11 | G30.1, F02.B4 | 294.11 | G30.1 |
| 300 | AD | Moderate late onset Alzheimer's dementia with anxiety | 331.0, 294.11 | G30.1, F02.B4 | 331 | G30.1 |
| 301 | AD | Moderate late onset Alzheimer's dementia with anxiety | 331.0, 294.11 | G30.1, F02.B4 | 331 | F02.B4 |
| 302 | AD | Moderate late onset Alzheimer's dementia with other behavioral disturbance | 331.0, 294.11 | G30.1, F02.B18 | 294.11 | G30.1 |
| 303 | AD | Moderate late onset Alzheimer's dementia with other behavioral disturbance | 331.0, 294.11 | G30.1, F02.B18 | 294.11 | F02.B18 |
| 304 | AD | Moderate late onset Alzheimer's dementia with other behavioral disturbance | 331.0, 294.11 | G30.1, F02.B18 | 331 | G30.1 |
| 305 | AD | Moderate late onset Alzheimer's dementia with other behavioral disturbance | 331.0, 294.11 | G30.1, F02.B18 | 331 | F02.B18 |
| 306 | AD | Moderate late onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety | 331.0, 294.10 | G30.1, F02.B0 | 331 | F02.B0 |
| 307 | AD | Moderate late onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety | 331.0, 294.10 | G30.1, F02.B0 | 294.1 | F02.B0 |
| 308 | AD | Moderate late onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety | 331.0, 294.10 | G30.1, F02.B0 | 331 | G30.1 |
| 309 | AD | Moderate late onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety | 331.0, 294.10 | G30.1, F02.B0 | 294.1 | G30.1 |
| 310 | AD | Moderate late onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety | 331.0, 294.10 | G30.1, F02.B0 | 294.1 | G30.1 |
| 311 | AD | Moderate late onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety | 331.0, 294.10 | G30.1, F02.B0 | 331 | F02.B0 |
| 312 | AD | Moderate late onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety | 331.0, 294.10 | G30.1, F02.B0 | 294.1 | F02.B0 |
| 313 | AD | Moderate late onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety | 331.0, 294.10 | G30.1, F02.B0 | 331 | G30.1 |
| 314 | AD | Moderate major neurocognitive disorder due to Alzheimer's disease without behavioral disturbance | 331.0, 294.9 | G30.9, F02.B0 | 331 | F02.B0 |
| 315 | AD | Moderate major neurocognitive disorder due to Alzheimer's disease without behavioral disturbance | 331.0, 294.9 | G30.9, F02.B0 | 294.9 | F02.B0 |
| 316 | AD | Moderate major neurocognitive disorder due to Alzheimer's disease without behavioral disturbance | 331.0, 294.9 | G30.9, F02.B0 | 331 | G30.9 |
| 317 | AD | Moderate major neurocognitive disorder due to Alzheimer's disease without behavioral disturbance | 331.0, 294.9 | G30.9, F02.B0 | 294.9 | G30.9 |
| 318 | AD | Moderate major neurocognitive disorder due to probable Alzheimer's disease, with behavioral disturbance | 294.2 | F03.91 | 294.2 | F03.91 |
| 319 | AD | Moderate possible major neurocognitive disorder due to Alzheimer's disease | IMO0001 | IMO0001 | IMO0001 | IMO0001 |
| 320 | AD | Moderate probable major neurocognitive disorder due to Alzheimer's disease with behavioral disturbance | 294.2 | F03.91 | 294.2 | F03.91 |
| 321 | AD | Moderate probable major neurocognitive disorder due to Alzheimer's disease without behavioral disturbance | 294.2 | F03.90 | 294.2 | F03.90 |
| 322 | AD | Other Alzheimer's disease | 331 | G30.8, F02.80 | 331 | F02.80 |
| 323 | AD | Other Alzheimer's disease | 331 | G30.8, F02.80 | 331 | G30.8 |
| 324 | AD | Other Alzheimer's disease | NULL | G30.8 | NULL | G30.8 |
| 325 | AD | Possible major neurocognitive disorder due to Alzheimer's disease | 294.2 | F03.90 | 294.2 | F03.90 |
| 326 | AD | Primary degenerative dementia of Alzheimer type | 331.0, 294.10 | G30.9, F02.80 | 331 | F02.80 |
| 327 | AD | Primary degenerative dementia of Alzheimer type | 331.0, 294.10 | G30.9, F02.80 | 294.1 | F02.80 |
| 328 | AD | Primary degenerative dementia of Alzheimer type | 331.0, 294.10 | G30.9, F02.80 | 331 | G30.9 |
| 329 | AD | Primary degenerative dementia of Alzheimer type | 331.0, 294.10 | G30.9, F02.80 | 294.1 | G30.9 |
| 330 | AD | Primary degenerative dementia of the Alzheimer type, presenile onset | 331 | G30.0, F02.80 | 331 | F02.80 |
| 331 | AD | Primary degenerative dementia of the Alzheimer type, presenile onset | 331 | G30.0, F02.80 | 331 | G30.0 |
| 332 | AD | Primary degenerative dementia of the Alzheimer type, presenile onset, with delusions | 331.0, 294.11, 297.9 | G30.0, F02.82 | 331 | F02.82 |
| 333 | AD | Primary degenerative dementia of the Alzheimer type, presenile onset, with delusions | 331.0, 294.11, 297.9 | G30.0, F02.82 | 294.11 | F02.82 |
| 334 | AD | Primary degenerative dementia of the Alzheimer type, presenile onset, with delusions | 331.0, 294.11, 297.9 | G30.0, F02.82 | 297.9 | F02.82 |
| 335 | AD | Primary degenerative dementia of the Alzheimer type, presenile onset, with delusions | 331.0, 294.11, 297.9 | G30.0, F02.82 | 331 | G30.0 |
| 336 | AD | Primary degenerative dementia of the Alzheimer type, presenile onset, with delusions | 331.0, 294.11, 297.9 | G30.0, F02.82 | 294.11 | G30.0 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------------------|--|----------------------|---------------------|--------|---------|
| 337 | AD | Primary degenerative dementia of the Alzheimer type, presenile onset, with delusions | 331.0, 294.11, 297.9 | G30.0, F02.82 | 297.9 | G30.0 |
| 338 | AD | Primary degenerative dementia of the Alzheimer type, presenile onset, with depression | 331.0, 290.13 | G30.0, F02.83 | 331 | F02.83 |
| 339 | AD | Primary degenerative dementia of the Alzheimer type, presenile onset, with depression | 331.0, 290.13 | G30.0, F02.83 | 290.13 | F02.83 |
| 340 | AD | Primary degenerative dementia of the Alzheimer type, presenile onset, with depression | 331.0, 290.13 | G30.0, F02.83 | 331 | G30.0 |
| 341 | AD | Primary degenerative dementia of the Alzheimer type, presenile onset, with depression | 331.0, 290.13 | G30.0, F02.83 | 290.13 | G30.0 |
| 342 | AD | Primary degenerative dementia of the Alzheimer type, senile onset, uncomplicated | 331.0, 294.10 | G30.1, F02.80 | 331 | F02.80 |
| 343 | AD | Primary degenerative dementia of the Alzheimer type, senile onset, uncomplicated | 331.0, 294.10 | G30.1, F02.80 | 294.1 | F02.80 |
| 344 | AD | Primary degenerative dementia of the Alzheimer type, senile onset, uncomplicated | 331.0, 294.10 | G30.1, F02.80 | 331 | G30.1 |
| 345 | AD | Primary degenerative dementia of the Alzheimer type, senile onset, uncomplicated | 331.0, 294.10 | G30.1, F02.80 | 294.1 | G30.1 |
| 346 | AD | Primary degenerative dementia of the Alzheimer type, senile onset, with delirium | 331.0, 294.11 | G30.1, F02.82 | 331 | F02.82 |
| 347 | AD | Primary degenerative dementia of the Alzheimer type, senile onset, with delirium | 331.0, 294.11 | G30.1, F02.82 | 294.11 | F02.82 |
| 348 | AD | Primary degenerative dementia of the Alzheimer type, senile onset, with delirium | 331.0, 294.11 | G30.1, F02.82 | 331 | G30.1 |
| 349 | AD | Primary degenerative dementia of the Alzheimer type, senile onset, with delirium | 331.0, 294.11 | G30.1, F02.82 | 294.11 | G30.1 |
| 350 | AD | Primary degenerative dementia of the Alzheimer type, senile onset, with delusions | 331.0, 290.20 | G30.1, F02.818 | 331 | F02.818 |
| 351 | AD | Primary degenerative dementia of the Alzheimer type, senile onset, with delusions | 331.0, 290.20 | G30.1, F02.818 | 290.2 | F02.818 |
| 352 | AD | Primary degenerative dementia of the Alzheimer type, senile onset, with delusions | 331.0, 290.20 | G30.1, F02.818 | 331 | G30.1 |
| 353 | AD | Primary degenerative dementia of the Alzheimer type, senile onset, with delusions | 331.0, 290.20 | G30.1, F02.818 | 290.2 | G30.1 |
| 354 | AD | Probable major neurocognitive disorder due to Alzheimer's disease with behavioral disturbance | 294.2 | F03.91 | 294.2 | F03.91 |
| 355 | AD | Probable major neurocognitive disorder due to Alzheimer's disease without behavioral disturbance | 294.2 | F03.90 | 294.2 | F03.90 |
| 356 | AD | Senile dementia of Alzheimer's type | 331.0, 294.10 | G30.1, F02.80 | 331 | F02.80 |
| 357 | AD | Senile dementia of Alzheimer's type | 331.0, 294.10 | G30.1, F02.80 | 294.1 | F02.80 |
| 358 | AD | Senile dementia of Alzheimer's type | 331.0, 294.10 | G30.1, F02.80 | 331 | G30.1 |
| 359 | AD | Senile dementia of Alzheimer's type | 331.0, 294.10 | G30.1, F02.80 | 294.1 | G30.1 |
| 360 | AD | Severe Alzheimer's dementia, unspecified timing of dementia onset, unspecified whether behavioral, psychotic, or mood disturbance or anxiety | 331.0, 294.10 | G30.9, F02.C0 | 331 | G30.9 |
| 361 | AD | Severe Alzheimer's dementia, unspecified timing of dementia onset, unspecified whether behavioral, psychotic, or mood disturbance or anxiety | 331.0, 294.10 | G30.9, F02.C0 | 294.1 | G30.9 |
| 362 | AD | Severe Alzheimer's dementia, unspecified timing of dementia onset, unspecified whether behavioral, psychotic, or mood disturbance or anxiety | 331.0, 294.10 | G30.9, F02.C0 | 331 | F02.C0 |
| 363 | AD | Severe Alzheimer's dementia, unspecified timing of dementia onset, unspecified whether behavioral, psychotic, or mood disturbance or anxiety | 331.0, 294.10 | G30.9, F02.C0 | 294.1 | F02.C0 |
| 364 | AD | Severe major neurocognitive disorder due to Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.9, F02.C18 | 331 | F02.C18 |
| 365 | AD | Severe major neurocognitive disorder due to Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.9, F02.C18 | 294.11 | F02.C18 |
| 366 | AD | Severe major neurocognitive disorder due to Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.9, F02.C18 | 331 | G30.9 |
| 367 | AD | Severe major neurocognitive disorder due to Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.9, F02.C18 | 294.11 | G30.9 |
| 368 | AD | Sporadic Alzheimer's disease | 331 | G30.9, F02.80 | 331 | F02.80 |
| 369 | AD | Sporadic Alzheimer's disease | 331 | G30.9, F02.80 | 331 | G30.9 |
| 370 | AD | Uncomplicated late onset Alzheimer's dementia | 331 | G30.1, F02.80 | 331 | F02.80 |
| 371 | AD | Uncomplicated late onset Alzheimer's dementia | 331 | G30.1, F02.80 | 331 | G30.1 |
| 372 | Dementia Unspecified | Advanced dementia | 294.2 | F03.C0 | 294.2 | F03.C0 |
| 373 | Dementia Unspecified | Age-related cognitive decline | 294.9 | R41.81 | 294.9 | R41.81 |
| 374 | Dementia Unspecified | Age-related memory disorder | 780.93 | R41.3 | 780.93 | R41.3 |
| 375 | Dementia Unspecified | Agitation due to dementia | 294.21 | F03.911 | 294.21 | F03.911 |
| 376 | Dementia Unspecified | Amnesia | 780.93 | R41.3 | 780.93 | R41.3 |
| 377 | Dementia Unspecified | Amnesia memory loss | 780.93 | R41.3 | 780.93 | R41.3 |
| 378 | Dementia Unspecified | Amnestic disorder | 294.8 | R41.3 | 294.8 | R41.3 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------------------|--|--------------------|---------------------|--------|----------|
| 379 | Dementia Unspecified | Cognitive and behavioral changes | 799.59, 312.9 | R41.89, R46.89 | 312.9 | R41.89 |
| 380 | Dementia Unspecified | Cognitive and behavioral changes | 799.59, 312.9 | R41.89, R46.89 | 312.9 | R46.89 |
| 381 | Dementia Unspecified | Cognitive and behavioral changes | 799.59, 312.9 | R41.89, R46.89 | 799.59 | R41.89 |
| 382 | Dementia Unspecified | Cognitive and behavioral changes | 799.59, 312.9 | R41.89, R46.89 | 799.59 | R46.89 |
| 383 | Dementia Unspecified | Cognitive and neurobehavioral dysfunction following brain injury, sequela | 907 | S06.9X0S, G31.89 | 907 | G31.89 |
| 384 | Dementia Unspecified | Cognitive and neurobehavioral dysfunction following brain injury, sequela | 907 | S06.9X0S, G31.89 | 907 | S06.9X0S |
| 385 | Dementia Unspecified | Cognitive change | 799.59 | R41.89 | 799.59 | R41.89 |
| 386 | Dementia Unspecified | Cognitive changes | 799.59 | R41.89 | 799.59 | R41.89 |
| 387 | Dementia Unspecified | Cognitive communication deficit | 799.52 | R41.841 | 799.52 | R41.841 |
| 388 | Dementia Unspecified | Cognitive communication disorder | 315.32 | R41.841 | 315.32 | R41.841 |
| 389 | Dementia Unspecified | Cognitive complaints | 799.59 | R41.9 | 799.59 | R41.9 |
| 390 | Dementia Unspecified | Cognitive complaints with normal exam | 799.59 | R41.9 | 799.59 | R41.9 |
| 391 | Dementia Unspecified | Cognitive decline | 294.9 | R41.89 | 294.9 | R41.89 |
| 392 | Dementia Unspecified | Cognitive deficits | 294.9 | R41.89 | 294.9 | R41.89 |
| 393 | Dementia Unspecified | Cognitive disorder | 294.9 | F09 | 294.9 | F09 |
| 394 | Dementia Unspecified | Cognitive dysfunction | 294.9 | F09 | 294.9 | F09 |
| 395 | Dementia Unspecified | Cognitive dysfunction associated with depression | 294.9, 311 | F09, F32.A | 294.9 | F32.A |
| 396 | Dementia Unspecified | Cognitive dysfunction associated with depression | 294.9, 311 | F09, F32.A | 311 | F09 |
| 397 | Dementia Unspecified | Cognitive dysfunction associated with depression | 294.9, 311 | F09, F32.A | 294.9 | F09 |
| 398 | Dementia Unspecified | Cognitive dysfunction associated with depression | 294.9, 311 | F09, F32.A | 311 | F32.A |
| 399 | Dementia Unspecified | Cognitive impairment | 294.9 | R41.89 | 294.9 | R41.89 |
| 400 | Dementia Unspecified | Complaints of memory disturbance | 780.93 | R41.3 | 780.93 | R41.3 |
| 401 | Dementia Unspecified | Creutzfeldt Jakob disease | 46.19 | A81.00 | 46.19 | A81.00 |
| 402 | Dementia Unspecified | Dementia | 294.2 | F03.90 | 294.2 | F03.90 |
| 403 | Dementia Unspecified | Dementia arising in the senium and presenium | 290.0, 290.10 | F03.90 | 290 | F03.90 |
| 404 | Dementia Unspecified | Dementia arising in the senium and presenium | 290.0, 290.10 | F03.90 | 290.1 | F03.90 |
| 405 | Dementia Unspecified | Dementia associated with Jakob-Creutzfeldt disease | 046.19, 294.10 | A81.00, F02.80 | 46.19 | F02.80 |
| 406 | Dementia Unspecified | Dementia associated with Jakob-Creutzfeldt disease | 046.19, 294.10 | A81.00, F02.80 | 294.1 | A81.00 |
| 407 | Dementia Unspecified | Dementia associated with Jakob-Creutzfeldt disease | 046.19, 294.10 | A81.00, F02.80 | 46.19 | A81.00 |
| 408 | Dementia Unspecified | Dementia associated with Jakob-Creutzfeldt disease | 046.19, 294.10 | A81.00, F02.80 | 294.1 | F02.80 |
| 409 | Dementia Unspecified | Dementia associated with other underlying disease with behavioral disturbance | 294.8, 294.11 | F02.818 | 294.11 | F02.818 |
| 410 | Dementia Unspecified | Dementia associated with other underlying disease with behavioral disturbance | 294.8, 294.11 | F02.818 | 294.8 | F02.818 |
| 411 | Dementia Unspecified | Dementia associated with other underlying disease without behavioral disturbance | 294.1 | F02.80 | 294.1 | F02.80 |
| 412 | Dementia Unspecified | Dementia due to another medical condition | 294.1 | F02.80 | 294.1 | F02.80 |
| 413 | Dementia Unspecified | Dementia due to general medical condition, without behavioral disturbance | 294.1 | F02.80 | 294.1 | F02.80 |
| 414 | Dementia Unspecified | Dementia due to HIV infection without behavioral disturbance | 042, 294.10 | B20, F02.80 | 294.1 | B20 |
| 415 | Dementia Unspecified | Dementia due to HIV infection without behavioral disturbance | 042, 294.10 | B20, F02.80 | 294.1 | F02.80 |
| 416 | Dementia Unspecified | Dementia due to HIV infection without behavioral disturbance | 042, 294.10 | B20, F02.80 | 042 | F02.80 |
| 417 | Dementia Unspecified | Dementia due to HIV infection without behavioral disturbance | 042, 294.10 | B20, F02.80 | 042 | B20 |
| 418 | Dementia Unspecified | Dementia due to medical condition | 294.1 | F02.80 | 294.1 | F02.80 |
| 419 | Dementia Unspecified | Dementia in conditions classified elsewhere with behavioral disturbance | 294.11 | F02.818 | 294.11 | F02.818 |
| 420 | Dementia Unspecified | Dementia with behavioral disturbance | 294.21 | F03.918 | 294.21 | F03.918 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------------------|--|-----------------------|-----------------------|--------|---------|
| 421 | Dementia Unspecified | Dementia with behavioral disturbance, unspecified dementia type | 294.21 | F03.91 | 294.21 | F03.91 |
| 422 | Dementia Unspecified | Dementia without behavioral disturbance, unspecified dementia type | 294.2 | F03.90 | 294.2 | F03.90 |
| 423 | Dementia Unspecified | Dementia, primary degenerative, senile | 290 | F03.90 | 290 | F03.90 |
| 424 | Dementia Unspecified | Dementia, with behavioral disturbance | 294.21 | F03.91 | 294.21 | F03.91 |
| 425 | Dementia Unspecified | Dementia, without behavioral disturbance | 294.2 | F03.90 | 294.2 | F03.90 |
| 426 | Dementia Unspecified | Disinhibited behavior due to dementia | 294.21 | F03.918 | 294.21 | F03.918 |
| 427 | Dementia Unspecified | Familial dementia | 294.8 | F03.90 | 294.8 | F03.90 |
| 428 | Dementia Unspecified | Frontal lobe syndrome | 310 | F07.0 | 310 | F07.0 |
| 429 | Dementia Unspecified | History of short term memory loss | V12.49 | Z87.898 | V12.49 | Z87.898 |
| 430 | Dementia Unspecified | Impaired cognition | 294.9 | R41.89 | 294.9 | R41.89 |
| 431 | Dementia Unspecified | Major neurocognitive disorder | 294.2 | F03.90 | 294.2 | F03.90 |
| 432 | Dementia Unspecified | Memory change | 780.93 | R41.3 | 780.93 | R41.3 |
| 433 | Dementia Unspecified | Memory changes | 780.93 | R41.3 | 780.93 | R41.3 |
| 434 | Dementia Unspecified | Memory deficit | 780.93 | R41.3 | 780.93 | R41.3 |
| 435 | Dementia Unspecified | Memory deficits | 780.93 | R41.3 | 780.93 | R41.3 |
| 436 | Dementia Unspecified | Memory disorder | 780.93 | R41.3 | 780.93 | R41.3 |
| 437 | Dementia Unspecified | Memory disturbance | 780.93 | R41.3 | 780.93 | R41.3 |
| 438 | Dementia Unspecified | Memory impairment | 780.93 | R41.3 | 780.93 | R41.3 |
| 439 | Dementia Unspecified | Memory impairment of gradual onset | 780.93 | R41.3 | 780.93 | R41.3 |
| 440 | Dementia Unspecified | Memory loss | 780.93 | R41.3 | 780.93 | R41.3 |
| 441 | Dementia Unspecified | Memory loss due to medical condition | 780.93 | R41.3 | 780.93 | R41.3 |
| 442 | Dementia Unspecified | Memory loss of unknown cause | 780.93 | R41.3 | 780.93 | R41.3 |
| 443 | Dementia Unspecified | Mild dementia | 294.2 | F03.A0 | 294.2 | F03.A0 |
| 444 | Dementia Unspecified | Mild dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety, unspecified dementia type | 294.1 | F03.A0 | 294.1 | F03.A0 |
| 445 | Dementia Unspecified | Mixed dementia | 331.0, 294.10, 290.40 | G30.9, F01.50, F02.80 | 294.1 | G30.9 |
| 446 | Dementia Unspecified | Mixed dementia | 331.0, 294.10, 290.40 | G30.9, F01.50, F02.80 | 290.4 | F01.50 |
| 447 | Dementia Unspecified | Mixed dementia | 331.0, 294.10, 290.40 | G30.9, F01.50, F02.80 | 290.4 | F02.80 |
| 448 | Dementia Unspecified | Mixed dementia | 331.0, 294.10, 290.40 | G30.9, F01.50, F02.80 | 294.1 | F01.50 |
| 449 | Dementia Unspecified | Mixed dementia | 331.0, 294.10, 290.40 | G30.9, F01.50, F02.80 | 294.1 | F02.80 |
| 450 | Dementia Unspecified | Mixed dementia | 331.0, 294.10, 290.40 | G30.9, F01.50, F02.80 | 331 | G30.9 |
| 451 | Dementia Unspecified | Mixed dementia | 331.0, 294.10, 290.40 | G30.9, F01.50, F02.80 | 290.4 | G30.9 |
| 452 | Dementia Unspecified | Mixed dementia | 331.0, 294.10, 290.40 | G30.9, F01.50, F02.80 | 331 | F01.50 |
| 453 | Dementia Unspecified | Mixed dementia | 331.0, 294.10, 290.40 | G30.9, F01.50, F02.80 | 331 | F02.80 |
| 454 | Dementia Unspecified | Moderate dementia | 294.2 | F03.B0 | 294.2 | F03.B0 |
| 455 | Dementia Unspecified | Moderate dementia with behavioral disturbance | 294.21 | F03.B18 | 294.21 | F03.B18 |
| 456 | Dementia Unspecified | Moderate dementia with other behavioral disturbance, unspecified dementia type | 294.21 | F03.B18 | 294.21 | F03.B18 |
| 457 | Dementia Unspecified | Moderate dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety, unspecified dementia type | 294.2 | F03.B0 | 294.2 | F03.B0 |
| 458 | Dementia Unspecified | Multi-infarct dementia, unspecified dementia severity, unspecified whether behavioral, psychotic, or mood disturbance or anxiety | 290.4 | F01.50 | 290.4 | F01.50 |
| 459 | Dementia Unspecified | Multifactorial cognitive dysfunction | 294.9 | F09 | 294.9 | F09 |
| 460 | Dementia Unspecified | Neurodegenerative cognitive impairment | 331.9 | G31.9 | 331.9 | G31.9 |
| 461 | Dementia Unspecified | Neurodegenerative dementia with behavioral disturbance | 294.21 | F03.918 | 294.21 | F03.918 |
| 462 | Dementia Unspecified | Neurodegenerative dementia without behavioral disturbance | 294.2 | F03.90 | 294.2 | F03.90 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------------------|---|------------------------|------------------------|--------|---------|
| 463 | Dementia Unspecified | Neurodegenerative dementia, with behavioral disturbance | 294.21 | F03.918 | 294.21 | F03.918 |
| 464 | Dementia Unspecified | Presenile dementia | 290.1 | F03.90 | 290.1 | F03.90 |
| 465 | Dementia Unspecified | Presenile dementia without behavioral disturbance | 290.1 | F03.90 | 290.1 | F03.90 |
| 466 | Dementia Unspecified | Primary degenerative dementia | 290.9 | F03.90 | 290.9 | F03.90 |
| 467 | Dementia Unspecified | Prion disease | 46.79 | A81.9 | 46.79 | A81.9 |
| 468 | Dementia Unspecified | Rapidly progressive dementia | 294.2 | F03.90 | 294.2 | F03.90 |
| 469 | Dementia Unspecified | Semantic dementia | 331.19, 294.10 | G31.09, F02.80 | 331.19 | F02.80 |
| 470 | Dementia Unspecified | Semantic dementia | 331.19, 294.10 | G31.09, F02.80 | 294.1 | F02.80 |
| 471 | Dementia Unspecified | Semantic dementia | 331.19, 294.10 | G31.09, F02.80 | 331.19 | G31.09 |
| 472 | Dementia Unspecified | Semantic dementia | 331.19, 294.10 | G31.09, F02.80 | 294.1 | G31.09 |
| 473 | Dementia Unspecified | Semantic dementia with behavioral disturbance | 331.19, 294.11 | G31.09, F02.818 | 331.19 | G31.09 |
| 474 | Dementia Unspecified | Semantic dementia with behavioral disturbance | 331.19, 294.11 | G31.09, F02.818 | 294.11 | G31.09 |
| 475 | Dementia Unspecified | Semantic dementia with behavioral disturbance | 331.19, 294.11 | G31.09, F02.818 | 331.19 | F02.818 |
| 476 | Dementia Unspecified | Semantic dementia with behavioral disturbance | 331.19, 294.11 | G31.09, F02.818 | 294.11 | F02.818 |
| 477 | Dementia Unspecified | Semantic dementia without behavioral disturbance | 331.19, 294.10 | G31.09, F02.80 | 294.1 | F02.80 |
| 478 | Dementia Unspecified | Semantic dementia without behavioral disturbance | 331.19, 294.10 | G31.09, F02.80 | 331.19 | G31.09 |
| 479 | Dementia Unspecified | Semantic dementia without behavioral disturbance | 331.19, 294.10 | G31.09, F02.80 | 294.1 | G31.09 |
| 480 | Dementia Unspecified | Semantic dementia without behavioral disturbance | 331.19, 294.10 | G31.09, F02.80 | 331.19 | F02.80 |
| 481 | Dementia Unspecified | Semantic dementia, with behavioral disturbance | 331.19, 294.11 | F02.81 | 331.19 | F02.81 |
| 482 | Dementia Unspecified | Semantic dementia, with behavioral disturbance | 331.19, 294.11 | F02.81 | 294.11 | F02.81 |
| 483 | Dementia Unspecified | Semantic memory disorder | 780.93 | R41.89 | 780.93 | R41.89 |
| 484 | Dementia Unspecified | Senile dementia with delusional features with behavioral disturbance | 290.2 | F03.92, F03.918 | 290.2 | F03.92 |
| 485 | Dementia Unspecified | Senile dementia with delusional features with behavioral disturbance | 290.2 | F03.92, F03.918 | 290.2 | F03.918 |
| 486 | Dementia Unspecified | Senile dementia, uncomplicated | 290 | F03.90 | 290 | F03.90 |
| 487 | Dementia Unspecified | Severe dementia associated with other underlying disease, with other behavioral disturbance | 294.11 | F02.C18 | 294.11 | F02.C18 |
| 488 | Dementia Unspecified | Subcortical dementia | 294.2 | F03.90 | 294.2 | F03.90 |
| 489 | Dementia Unspecified | Transient global amnesia | 437.7 | G45.4 | 437.7 | G45.4 |
| 490 | Dementia Unspecified | Uncomplicated presenile dementia | 290.1 | F03.90 | 290.1 | F03.90 |
| 491 | FTD | Amyotrophic lateral sclerosis with frontotemporal dementia | 335.20, 331.19, 294.10 | G12.21, G31.09, F02.80 | 335.2 | F02.80 |
| 492 | FTD | Amyotrophic lateral sclerosis with frontotemporal dementia | 335.20, 331.19, 294.10 | G12.21, G31.09, F02.80 | 331.19 | F02.80 |
| 493 | FTD | Amyotrophic lateral sclerosis with frontotemporal dementia | 335.20, 331.19, 294.10 | G12.21, G31.09, F02.80 | 294.1 | F02.80 |
| 494 | FTD | Amyotrophic lateral sclerosis with frontotemporal dementia | 335.20, 331.19, 294.10 | G12.21, G31.09, F02.80 | 335.2 | G31.09 |
| 495 | FTD | Amyotrophic lateral sclerosis with frontotemporal dementia | 335.20, 331.19, 294.10 | G12.21, G31.09, F02.80 | 331.19 | G31.09 |
| 496 | FTD | Amyotrophic lateral sclerosis with frontotemporal dementia | 335.20, 331.19, 294.10 | G12.21, G31.09, F02.80 | 294.1 | G31.09 |
| 497 | FTD | Amyotrophic lateral sclerosis with frontotemporal dementia | 335.20, 331.19, 294.10 | G12.21, G31.09, F02.80 | 335.2 | G12.21 |
| 498 | FTD | Amyotrophic lateral sclerosis with frontotemporal dementia | 335.20, 331.19, 294.10 | G12.21, G31.09, F02.80 | 331.19 | G12.21 |
| 499 | FTD | Amyotrophic lateral sclerosis with frontotemporal dementia | 335.20, 331.19, 294.10 | G12.21, G31.09, F02.80 | 294.1 | G12.21 |
| 500 | FTD | Behavioral variant frontotemporal dementia | 331.19 | G31.09, F02.818 | 331.19 | F02.818 |
| 501 | FTD | Behavioral variant frontotemporal dementia | 331.19 | G31.09, F02.818 | 331.19 | G31.09 |
| 502 | FTD | C9ORF72-related amyotrophic lateral sclerosis and frontotemporal dementia | 335.20, 331.19, 294.10 | G12.21, G31.09, F02.80 | 335.2 | G12.21 |
| 503 | FTD | C9ORF72-related amyotrophic lateral sclerosis and frontotemporal dementia | 335.20, 331.19, 294.10 | G12.21, G31.09, F02.80 | 331.19 | G12.21 |
| 504 | FTD | C9ORF72-related amyotrophic lateral sclerosis and frontotemporal dementia | 335.20, 331.19, 294.10 | G12.21, G31.09, F02.80 | 294.1 | G12.21 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------|---|------------------------|------------------------|--------|---------|
| 505 | FTD | C9ORF72-related amyotrophic lateral sclerosis and frontotemporal dementia | 335.20, 331.19, 294.10 | G12.21, G31.09, F02.80 | 335.2 | G31.09 |
| 506 | FTD | C9ORF72-related amyotrophic lateral sclerosis and frontotemporal dementia | 335.20, 331.19, 294.10 | G12.21, G31.09, F02.80 | 331.19 | G31.09 |
| 507 | FTD | C9ORF72-related amyotrophic lateral sclerosis and frontotemporal dementia | 335.20, 331.19, 294.10 | G12.21, G31.09, F02.80 | 294.1 | G31.09 |
| 508 | FTD | C9ORF72-related amyotrophic lateral sclerosis and frontotemporal dementia | 335.20, 331.19, 294.10 | G12.21, G31.09, F02.80 | 335.2 | F02.80 |
| 509 | FTD | C9ORF72-related amyotrophic lateral sclerosis and frontotemporal dementia | 335.20, 331.19, 294.10 | G12.21, G31.09, F02.80 | 331.19 | F02.80 |
| 510 | FTD | C9ORF72-related amyotrophic lateral sclerosis and frontotemporal dementia | 335.20, 331.19, 294.10 | G12.21, G31.09, F02.80 | 294.1 | F02.80 |
| 511 | FTD | Dementia due to Pick's disease with behavioral disturbance | 331.11, 294.11 | G31.01, F02.818 | 331.11 | F02.818 |
| 512 | FTD | Dementia due to Pick's disease with behavioral disturbance | 331.11, 294.11 | G31.01, F02.818 | 294.11 | F02.818 |
| 513 | FTD | Dementia due to Pick's disease with behavioral disturbance | 331.11, 294.11 | G31.01, F02.818 | 331.11 | G31.01 |
| 514 | FTD | Dementia due to Pick's disease with behavioral disturbance | 331.11, 294.11 | G31.01, F02.818 | 294.11 | G31.01 |
| 515 | FTD | Dementia due to Pick's disease without behavioral disturbance | 331.11, 294.10 | G31.01, F02.80 | 331.11 | F02.80 |
| 516 | FTD | Dementia due to Pick's disease without behavioral disturbance | 331.11, 294.10 | G31.01, F02.80 | 294.1 | F02.80 |
| 517 | FTD | Dementia due to Pick's disease without behavioral disturbance | 331.11, 294.10 | G31.01, F02.80 | 331.11 | G31.01 |
| 518 | FTD | Dementia due to Pick's disease without behavioral disturbance | 331.11, 294.10 | G31.01, F02.80 | 294.1 | G31.01 |
| 519 | FTD | Dementia of frontal lobe type | 331.19 | G31.09, F02.80 | 331.19 | F02.80 |
| 520 | FTD | Dementia of frontal lobe type | 331.19 | G31.09, F02.80 | 331.19 | G31.09 |
| 521 | FTD | Dementia, frontotemporal | 331.19 | G31.09, F02.80 | 331.19 | F02.80 |
| 522 | FTD | Dementia, frontotemporal | 331.19 | G31.09, F02.80 | 331.19 | G31.09 |
| 523 | FTD | Frontal dementia | 331.19 | G31.09, F02.80 | 331.19 | F02.80 |
| 524 | FTD | Frontal dementia | 331.19 | G31.09, F02.80 | 331.19 | G31.09 |
| 525 | FTD | Frontal lobe and executive function deficit | NULL | R41.844 | NULL | R41.844 |
| 526 | FTD | Frontal lobe and executive function deficit | 799.55 | R41.844 | 799.55 | R41.844 |
| 527 | FTD | Frontal lobe dementia | 331.19 | G31.09, F02.80 | 331.19 | F02.80 |
| 528 | FTD | Frontal lobe dementia | 331.19 | G31.09, F02.80 | 331.19 | G31.09 |
| 529 | FTD | Fronto-temporal dementia | 331.19 | G31.09, F02.80 | 331.19 | F02.80 |
| 530 | FTD | Fronto-temporal dementia | 331.19 | G31.09, F02.80 | 331.19 | G31.09 |
| 531 | FTD | Frontotemporal brain disease | 331.19 | G31.09, F02.80 | 331.19 | F02.80 |
| 532 | FTD | Frontotemporal brain disease | 331.19 | G31.09, F02.80 | 331.19 | G31.09 |
| 533 | FTD | Frontotemporal dementia | 331.19 | G31.09, F02.80 | 331.19 | F02.80 |
| 534 | FTD | Frontotemporal dementia | 331.19 | G31.09, F02.80 | 331.19 | G31.09 |
| 535 | FTD | Frontotemporal dementia | NULL | G31.0 | NULL | G31.0 |
| 536 | FTD | Frontotemporal dementia | 331.1 | NULL | 331.1 | NULL |
| 537 | FTD | Frontotemporal dementia associated with mutation in MAPT gene | 331.19 | G31.09, F02.80 | 331.19 | F02.80 |
| 538 | FTD | Frontotemporal dementia associated with mutation in MAPT gene | 331.19 | G31.09, F02.80 | 331.19 | G31.09 |
| 539 | FTD | Frontotemporal dementia associated with mutation in PGRN gene | 331.19 | G31.09, F02.80 | 331.19 | F02.80 |
| 540 | FTD | Frontotemporal dementia associated with mutation in PGRN gene | 331.19 | G31.09, F02.80 | 331.19 | G31.09 |
| 541 | FTD | Frontotemporal dementia with behavioral disturbance | 331.19, 294.11 | G31.09, F02.818 | 331.19 | F02.818 |
| 542 | FTD | Frontotemporal dementia with behavioral disturbance | 331.19, 294.11 | G31.09, F02.818 | 294.11 | F02.818 |
| 543 | FTD | Frontotemporal dementia with behavioral disturbance | 331.19, 294.11 | G31.09, F02.818 | 331.19 | G31.09 |
| 544 | FTD | Frontotemporal dementia with behavioral disturbance | 331.19, 294.11 | G31.09, F02.818 | 294.11 | G31.09 |
| 545 | FTD | Frontotemporal dementia with motor neuron disease | 335.20, 331.19 | G31.09, F02.80, G12.20 | 335.2 | G12.20 |
| 546 | FTD | Frontotemporal dementia with motor neuron disease | 335.20, 331.19 | G31.09, F02.80, G12.20 | 331.19 | G12.20 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------|--|--------------------|------------------------|---------|---------|
| 547 | FTD | Frontotemporal dementia with motor neuron disease | 335.20, 331.19 | G31.09, F02.80, G12.20 | 335.2 | F02.80 |
| 548 | FTD | Frontotemporal dementia with motor neuron disease | 335.20, 331.19 | G31.09, F02.80, G12.20 | 331.19 | F02.80 |
| 549 | FTD | Frontotemporal dementia with motor neuron disease | 335.20, 331.19 | G31.09, F02.80, G12.20 | 335.2 | G31.09 |
| 550 | FTD | Frontotemporal dementia with motor neuron disease | 335.20, 331.19 | G31.09, F02.80, G12.20 | 331.19 | G31.09 |
| 551 | FTD | Frontotemporal dementia without behavioral disturbance | 331.19, 294.10 | G31.09, F02.80 | 331.19 | F02.80 |
| 552 | FTD | Frontotemporal dementia without behavioral disturbance | 331.19, 294.10 | G31.09, F02.80 | 294.1 | F02.80 |
| 553 | FTD | Frontotemporal dementia without behavioral disturbance | 331.19, 294.10 | G31.09, F02.80 | 331.19 | G31.09 |
| 554 | FTD | Frontotemporal dementia without behavioral disturbance | 331.19, 294.10 | G31.09, F02.80 | 294.1 | G31.09 |
| 555 | FTD | Frontotemporal lobar degeneration | 331.19, 294.10 | G31.09, F02.80 | 331.19 | F02.80 |
| 556 | FTD | Frontotemporal lobar degeneration | 331.19, 294.10 | G31.09, F02.80 | 294.1 | F02.80 |
| 557 | FTD | Frontotemporal lobar degeneration | 331.19, 294.10 | G31.09, F02.80 | 331.19 | G31.09 |
| 558 | FTD | Frontotemporal lobar degeneration | 331.19, 294.10 | G31.09, F02.80 | 294.1 | G31.09 |
| 559 | FTD | Frontotemporal lobar degeneration | 331.19, 294.10 | G31.09, F02.80 | 331.19 | F02.80 |
| 560 | FTD | Frontotemporal lobar degeneration | 331.19, 294.10 | G31.09, F02.80 | 294.1 | G31.09 |
| 561 | FTD | Frontotemporal lobar degeneration | 331.19, 294.10 | G31.09, F02.80 | 294.1 | F02.80 |
| 562 | FTD | Frontotemporal lobar degeneration | 331.19, 294.10 | G31.09, F02.80 | 331.19 | G31.09 |
| 563 | FTD | FTD with MND (frontotemporal dementia with motor neuron disease) | 335.20, 331.19 | G31.09, F02.80, G12.20 | 335.2 | G12.20 |
| 564 | FTD | FTD with MND (frontotemporal dementia with motor neuron disease) | 335.20, 331.19 | G31.09, F02.80, G12.20 | 331.19 | G12.20 |
| 565 | FTD | FTD with MND (frontotemporal dementia with motor neuron disease) | 335.20, 331.19 | G31.09, F02.80, G12.20 | 335.2 | F02.80 |
| 566 | FTD | FTD with MND (frontotemporal dementia with motor neuron disease) | 335.20, 331.19 | G31.09, F02.80, G12.20 | 331.19 | F02.80 |
| 567 | FTD | FTD with MND (frontotemporal dementia with motor neuron disease) | 335.20, 331.19 | G31.09, F02.80, G12.20 | 335.2 | G31.09 |
| 568 | FTD | FTD with MND (frontotemporal dementia with motor neuron disease) | 335.20, 331.19 | G31.09, F02.80, G12.20 | 331.19 | G31.09 |
| 569 | FTD | GRN-related frontotemporal dementia | 331.19 | G31.09, F02.80 | 331.19 | F02.80 |
| 570 | FTD | GRN-related frontotemporal dementia | 331.19 | G31.09, F02.80 | 331.19 | G31.09 |
| 571 | FTD | Left temporal atrophy variant of frontotemporal dementia | 331.19, 294.10 | G31.09, F02.80 | 331.19 | F02.80 |
| 572 | FTD | Left temporal atrophy variant of frontotemporal dementia | 331.19, 294.10 | G31.09, F02.80 | 294.1 | F02.80 |
| 573 | FTD | Left temporal atrophy variant of frontotemporal dementia | 331.19, 294.10 | G31.09, F02.80 | 331.19 | G31.09 |
| 574 | FTD | Left temporal atrophy variant of frontotemporal dementia | 331.19, 294.10 | G31.09, F02.80 | 294.1 | G31.09 |
| 575 | FTD | Major frontotemporal neurocognitive disorder, possible | IMO0001 | IMO0001 | IMO0001 | IMO0001 |
| 576 | FTD | Major frontotemporal neurocognitive disorder, probable, with behavioral disturbance | IMO0001 | IMO0001 | IMO0001 | IMO0001 |
| 577 | FTD | Major neurocognitive disorder due to possible frontotemporal lobar degeneration, with behavioral disturbance | 294.2 | F03.91 | 294.2 | F03.91 |
| 578 | FTD | Major neurocognitive disorder due to probable frontotemporal lobar degeneration, with behavioral disturbance | 294.2 | F03.91 | 294.2 | F03.91 |
| 579 | FTD | MAPT-related frontotemporal dementia | 331.19 | G31.09, F02.80 | 331.19 | F02.80 |
| 580 | FTD | MAPT-related frontotemporal dementia | 331.19 | G31.09, F02.80 | 331.19 | G31.09 |
| 581 | FTD | Mild frontotemporal neurocognitive disorder | 331.83 | G31.09, F02.A0 | 331.83 | F02.A0 |
| 582 | FTD | Mild frontotemporal neurocognitive disorder | 331.83 | G31.09, F02.A0 | 331.83 | G31.09 |
| 583 | FTD | Mild major neurocognitive disorder due to frontotemporal lobar degeneration with behavioral disturbance | 331.9, 294.9 | G31.09, F02.A18 | 331.9 | F02.A18 |
| 584 | FTD | Mild major neurocognitive disorder due to frontotemporal lobar degeneration with behavioral disturbance | 331.9, 294.9 | G31.09, F02.A18 | 294.9 | F02.A18 |
| 585 | FTD | Mild major neurocognitive disorder due to frontotemporal lobar degeneration with behavioral disturbance | 331.9, 294.9 | G31.09, F02.A18 | 331.9 | G31.09 |
| 586 | FTD | Mild major neurocognitive disorder due to frontotemporal lobar degeneration with behavioral disturbance | 331.9, 294.9 | G31.09, F02.A18 | 294.9 | G31.09 |
| 587 | FTD | Mild major neurocognitive disorder due to frontotemporal lobar degeneration without behavioral disturbance | 331.9, 294.9 | G31.09, F02.A0 | 331.9 | F02.A0 |
| 588 | FTD | Mild major neurocognitive disorder due to frontotemporal lobar degeneration without behavioral disturbance | 331.9, 294.9 | G31.09, F02.A0 | 294.9 | F02.A0 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------|--|--------------------|---------------------|---------|---------|
| 589 | FTD | Mild major neurocognitive disorder due to frontotemporal lobar degeneration without behavioral disturbance | 331.9, 294.9 | G31.09, F02.A0 | 331.9 | G31.09 |
| 590 | FTD | Mild major neurocognitive disorder due to frontotemporal lobar degeneration without behavioral disturbance | 331.9, 294.9 | G31.09, F02.A0 | 294.9 | G31.09 |
| 591 | FTD | Mild possible major frontotemporal neurocognitive disorder | IMO0001 | IMO0001 | IMO0001 | IMO0001 |
| 592 | FTD | Mild probable major frontotemporal neurocognitive disorder with behavioral disturbance | IMO0001 | IMO0001 | IMO0001 | IMO0001 |
| 593 | FTD | Moderate possible major frontotemporal neurocognitive disorder | IMO0001 | IMO0001 | IMO0001 | IMO0001 |
| 594 | FTD | Other frontotemporal dementia | 331.19 | G31.09, F02.80 | 331.19 | F02.80 |
| 595 | FTD | Other frontotemporal dementia | 331.19 | G31.09, F02.80 | 331.19 | G31.09 |
| 596 | FTD | Other frontotemporal dementia | 331.19 | G31.09, F02.80 | 331.19 | F02.80 |
| 597 | FTD | Other frontotemporal dementia | 331.19 | G31.09, F02.80 | 331.19 | G31.09 |
| 598 | FTD | Other frontotemporal dementia (CODE) | 331.19 | G31.09 | 331.19 | G31.09 |
| 599 | FTD | Other frontotemporal dementia with behavioral disturbance | 331.19, 294.11 | G31.09, F02.818 | 331.19 | F02.818 |
| 600 | FTD | Other frontotemporal dementia with behavioral disturbance | 331.19, 294.11 | G31.09, F02.818 | 294.11 | F02.818 |
| 601 | FTD | Other frontotemporal dementia with behavioral disturbance | 331.19, 294.11 | G31.09, F02.818 | 331.19 | G31.09 |
| 602 | FTD | Other frontotemporal dementia with behavioral disturbance | 331.19, 294.11 | G31.09, F02.818 | 294.11 | G31.09 |
| 603 | FTD | Other frontotemporal dementia without behavioral disturbance | 331.19, 294.10 | G31.09, F02.80 | 331.19 | F02.80 |
| 604 | FTD | Other frontotemporal dementia without behavioral disturbance | 331.19, 294.10 | G31.09, F02.80 | 294.1 | F02.80 |
| 605 | FTD | Other frontotemporal dementia without behavioral disturbance | 331.19, 294.10 | G31.09, F02.80 | 331.19 | G31.09 |
| 606 | FTD | Other frontotemporal dementia without behavioral disturbance | 331.19, 294.10 | G31.09, F02.80 | 294.1 | G31.09 |
| 607 | FTD | Pick's disease | 331.11 | G31.01, F02.80 | 331.11 | F02.80 |
| 608 | FTD | Pick's disease | 331.11 | G31.01, F02.80 | 331.11 | G31.01 |
| 609 | FTD | Pick's disease | NULL | G31.01 | NULL | G31.01 |
| 610 | FTD | Pick's disease | 331.11 | G31.01, F02.80 | 331.11 | F02.80 |
| 611 | FTD | Pick's disease | 331.11 | G31.01, F02.80 | 331.11 | G31.01 |
| 612 | FTD | Possible major frontotemporal neurocognitive disorder | IMO0001 | IMO0001 | IMO0001 | IMO0001 |
| 613 | FTD | Probable major frontotemporal neurocognitive disorder with behavioral disturbance | IMO0001 | IMO0001 | IMO0001 | IMO0001 |
| 614 | FTD | Right temporal atrophy variant of frontotemporal dementia | 331.19, 294.10 | G31.09, F02.80 | 331.19 | F02.80 |
| 615 | FTD | Right temporal atrophy variant of frontotemporal dementia | 331.19, 294.10 | G31.09, F02.80 | 294.1 | F02.80 |
| 616 | FTD | Right temporal atrophy variant of frontotemporal dementia | 331.19, 294.10 | G31.09, F02.80 | 331.19 | G31.09 |
| 617 | FTD | Right temporal atrophy variant of frontotemporal dementia | 331.19, 294.10 | G31.09, F02.80 | 294.1 | G31.09 |
| 618 | LBD | Alzheimer's disease with Parkinson's disease | 331.0, 332.0 | G30.9, G20, F02.80 | 331 | F02.80 |
| 619 | LBD | Alzheimer's disease with Parkinson's disease | 331.0, 332.0 | G30.9, G20, F02.80 | 332 | F02.80 |
| 620 | LBD | Alzheimer's disease with Parkinson's disease | 331.0, 332.0 | G30.9, G20, F02.80 | 331 | G20 |
| 621 | LBD | Alzheimer's disease with Parkinson's disease | 331.0, 332.0 | G30.9, G20, F02.80 | 332 | G20 |
| 622 | LBD | Alzheimer's disease with Parkinson's disease | 331.0, 332.0 | G30.9, G20, F02.80 | 331 | G30.9 |
| 623 | LBD | Alzheimer's disease with Parkinson's disease | 331.0, 332.0 | G30.9, G20, F02.80 | 332 | G30.9 |
| 624 | LBD | Autosomal dominant Lewy body dementia | 331.82 | G31.83, F02.80 | 331.82 | F02.80 |
| 625 | LBD | Autosomal dominant Lewy body dementia | 331.82 | G31.83, F02.80 | 331.82 | G31.83 |
| 626 | LBD | Dementia due to Parkinson's disease with behavioral disturbance | 332.0, 294.11 | G20, F02.818 | 332 | F02.818 |
| 627 | LBD | Dementia due to Parkinson's disease with behavioral disturbance | 332.0, 294.11 | G20, F02.818 | 294.11 | F02.818 |
| 628 | LBD | Dementia due to Parkinson's disease with behavioral disturbance | 332.0, 294.11 | G20, F02.818 | 332 | G20 |
| 629 | LBD | Dementia due to Parkinson's disease with behavioral disturbance | 332.0, 294.11 | G20, F02.818 | 294.11 | G20 |
| 630 | LBD | Dementia due to Parkinson's disease without behavioral disturbance | 332.0, 294.10 | G20, F02.80 | 332 | F02.80 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------|--|--------------------|---------------------|--------|---------|
| 631 | LBD | Dementia due to Parkinson's disease without behavioral disturbance | 332.0, 294.10 | G20, F02.80 | 294.1 | F02.80 |
| 632 | LBD | Dementia due to Parkinson's disease without behavioral disturbance | 332.0, 294.10 | G20, F02.80 | 332 | G20 |
| 633 | LBD | Dementia due to Parkinson's disease without behavioral disturbance | 332.0, 294.10 | G20, F02.80 | 294.1 | G20 |
| 634 | LBD | Dementia in Parkinson's plus syndrome | 331.82, 294.10 | G20, F02.80 | 331.82 | F02.80 |
| 635 | LBD | Dementia in Parkinson's plus syndrome | 331.82, 294.10 | G20, F02.80 | 294.1 | F02.80 |
| 636 | LBD | Dementia in Parkinson's plus syndrome | 331.82, 294.10 | G20, F02.80 | 331.82 | G20 |
| 637 | LBD | Dementia in Parkinson's plus syndrome | 331.82, 294.10 | G20, F02.80 | 294.1 | G20 |
| 638 | LBD | Dementia with Lewy bodies | 331.82 | G31.83, F02.80 | 331.82 | F02.80 |
| 639 | LBD | Dementia with Lewy bodies | 331.82 | G31.83, F02.80 | 331.82 | G31.83 |
| 640 | LBD | Dementia with Lewy bodies | 331.82 | G31.83, F02.80 | 331.82 | F02.80 |
| 641 | LBD | Dementia with Lewy bodies | 331.82 | G31.83, F02.80 | 331.82 | G31.83 |
| 642 | LBD | Dementia with Lewy bodies (CODE) | 331.82 | G31.83 | 331.82 | G31.83 |
| 643 | LBD | Dementia with parkinsonism | 331.82, 294.10 | G20, F02.80 | 331.82 | F02.80 |
| 644 | LBD | Dementia with parkinsonism | 331.82, 294.10 | G20, F02.80 | 294.1 | F02.80 |
| 645 | LBD | Dementia with parkinsonism | 331.82, 294.10 | G20, F02.80 | 331.82 | G20 |
| 646 | LBD | Dementia with parkinsonism | 331.82, 294.10 | G20, F02.80 | 294.1 | G20 |
| 647 | LBD | Dementia with parkinsonism | 331.82, 294.10 | G20.C, F02.80 | 294.1 | G20.C |
| 648 | LBD | Dementia with parkinsonism | 331.82, 294.10 | G20.C, F02.80 | 331.82 | G20.C |
| 649 | LBD | Dementia with parkinsonism | 331.82, 294.10 | G20.C, F02.80 | 294.1 | F02.80 |
| 650 | LBD | Dementia with parkinsonism | 331.82, 294.10 | G20.C, F02.80 | 331.82 | F02.80 |
| 651 | LBD | Dementia, Lewy body with behavior disturbance | 331.82, 294.11 | G31.83, F02.818 | 331.82 | F02.818 |
| 652 | LBD | Dementia, Lewy body with behavior disturbance | 331.82, 294.11 | G31.83, F02.818 | 294.11 | F02.818 |
| 653 | LBD | Dementia, Lewy body with behavior disturbance | 331.82, 294.11 | G31.83, F02.818 | 331.82 | G31.83 |
| 654 | LBD | Dementia, Lewy body with behavior disturbance | 331.82, 294.11 | G31.83, F02.818 | 294.11 | G31.83 |
| 655 | LBD | Lewy body dementia | 331.82 | G31.83, F02.80 | 331.82 | F02.80 |
| 656 | LBD | Lewy body dementia | 331.82 | G31.83, F02.80 | 331.82 | G31.83 |
| 657 | LBD | Lewy body dementia with behavioral disturbance | 331.82, 294.11 | G31.83, F02.818 | 331.82 | F02.818 |
| 658 | LBD | Lewy body dementia with behavioral disturbance | 331.82, 294.11 | G31.83, F02.818 | 294.11 | F02.818 |
| 659 | LBD | Lewy body dementia with behavioral disturbance | 331.82, 294.11 | G31.83, F02.818 | 331.82 | G31.83 |
| 660 | LBD | Lewy body dementia with behavioral disturbance | 331.82, 294.11 | G31.83, F02.818 | 294.11 | G31.83 |
| 661 | LBD | Lewy body dementia with other behavioral disturbance, unspecified dementia severity | 331.82, 294.11 | G31.83, F02.818 | 294.11 | F02.818 |
| 662 | LBD | Lewy body dementia with other behavioral disturbance, unspecified dementia severity | 331.82, 294.11 | G31.83, F02.818 | 294.11 | G31.83 |
| 663 | LBD | Lewy body dementia with other behavioral disturbance, unspecified dementia severity | 331.82, 294.11 | G31.83, F02.818 | 331.82 | F02.818 |
| 664 | LBD | Lewy body dementia with other behavioral disturbance, unspecified dementia severity | 331.82, 294.11 | G31.83, F02.818 | 331.82 | G31.83 |
| 665 | LBD | Lewy body dementia without behavioral disturbance | 331.82, 294.10 | G31.83, F02.80 | 331.82 | F02.80 |
| 666 | LBD | Lewy body dementia without behavioral disturbance | 331.82, 294.10 | G31.83, F02.80 | 294.1 | F02.80 |
| 667 | LBD | Lewy body dementia without behavioral disturbance | 331.82, 294.10 | G31.83, F02.80 | 331.82 | G31.83 |
| 668 | LBD | Lewy body dementia without behavioral disturbance | 331.82, 294.10 | G31.83, F02.80 | 294.1 | G31.83 |
| 669 | LBD | Lewy body dementia, unspecified dementia severity, unspecified whether behavioral, psychotic, or mood disturbance or anxiety | 331.82 | G31.83, F02.80 | 331.82 | F02.80 |
| 670 | LBD | Lewy body dementia, unspecified dementia severity, unspecified whether behavioral, psychotic, or mood disturbance or anxiety | 331.82 | G31.83, F02.80 | 331.82 | G31.83 |
| 671 | LBD | Lewy body disease | 331.82 | G31.83, F02.80 | 331.82 | F02.80 |
| 672 | LBD | Lewy body disease | 331.82 | G31.83, F02.80 | 331.82 | G31.83 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------|--|--------------------|---------------------|---------|----------|
| 673 | LBD | Lewy body Parkinson disease | 332.0, 331.82 | G31.83, F02.80 | 331.82 | F02.80 |
| 674 | LBD | Lewy body Parkinson disease | 332.0, 331.82 | G31.83, F02.80 | 332 | G31.83 |
| 675 | LBD | Lewy body Parkinson disease | 332.0, 331.82 | G31.83, F02.80 | 331.82 | G31.83 |
| 676 | LBD | Lewy body Parkinson disease | 332.0, 331.82 | G31.83, F02.80 | 332 | F02.80 |
| 677 | LBD | Lewy body Parkinson's disease | 332.0, 331.82 | G31.83, F02.80 | 331.82 | F02.80 |
| 678 | LBD | Lewy body Parkinson's disease | 332.0, 331.82 | G31.83, F02.80 | 331.82 | G31.83 |
| 679 | LBD | Lewy body Parkinson's disease | 332.0, 331.82 | G31.83, F02.80 | 332 | F02.80 |
| 680 | LBD | Lewy body Parkinson's disease | 332.0, 331.82 | G31.83, F02.80 | 332 | G31.83 |
| 681 | LBD | Major neurocognitive disorder with Lewy bodies, probable, without behavioral disturbance | 294.2 | F03.90 | 294.2 | F03.90 |
| 682 | LBD | Mild major neurocognitive disorder with probable Lewy bodies, with behavioral disturbance | 294.2 | F03.91 | 294.2 | F03.91 |
| 683 | LBD | Mild major neurocognitive disorder with probable Lewy bodies, without behavioral disturbance | 294.2 | F03.90 | 294.2 | F03.90 |
| 684 | LBD | Mild neurocognitive disorder with Lewy bodies | 331.83 | G31.83, F02.A0 | 331.83 | F02.A0 |
| 685 | LBD | Mild neurocognitive disorder with Lewy bodies | 331.83 | G31.83, F02.A0 | 331.83 | G31.83 |
| 686 | LBD | Mild possible major neurocognitive disorder with Lewy bodies | IMO0001 | IMO0001 | IMO0001 | IMO0001 |
| 687 | LBD | Mild probable major neurocognitive disorder with Lewy bodies without behavioral disturbance | 294.2 | F03.90 | 294.2 | F03.90 |
| 688 | LBD | Motor fluctuations related to medication use in Parkinson's disease | 332.0, E936.4 | G20.A2, T42.8X5A | 332 | T42.8X5A |
| 689 | LBD | Motor fluctuations related to medication use in Parkinson's disease | 332.0, E936.4 | G20.A2, T42.8X5A | E936.4 | T42.8X5A |
| 690 | LBD | Motor fluctuations related to medication use in Parkinson's disease | 332.0, E936.4 | G20.A2, T42.8X5A | 332 | G20.A2 |
| 691 | LBD | Motor fluctuations related to medication use in Parkinson's disease | 332.0, E936.4 | G20.A2, T42.8X5A | E936.4 | G20.A2 |
| 692 | LBD | Multiple system atrophy, Parkinson variant | 333 | G23.2 | 333 | G23.2 |
| 693 | LBD | Neurocognitive disorder with Lewy bodies (CODE) | 331.82, 294.10 | G31.83 | 331.82 | G31.83 |
| 694 | LBD | Neurocognitive disorder with Lewy bodies (CODE) | 331.82, 294.10 | G31.83 | 294.1 | G31.83 |
| 695 | LBD | Neuroleptic-induced parkinsonism | 332.1, E939.3 | G21.11, T43.505A | 332.1 | T43.505A |
| 696 | LBD | Neuroleptic-induced parkinsonism | 332.1, E939.3 | G21.11, T43.505A | 332.1 | G21.11 |
| 697 | LBD | Neuroleptic-induced parkinsonism | 332.1, E939.3 | G21.11, T43.505A | E939.3 | G21.11 |
| 698 | LBD | Neuroleptic-induced parkinsonism | 332.1, E939.3 | G21.11, T43.505A | E939.3 | T43.505A |
| 699 | LBD | Other secondary parkinsonism | 332.1 | G21.8 | 332.1 | G21.8 |
| 700 | LBD | Parkinson disease | 332 | G20.A1 | 332 | G20.A1 |
| 701 | LBD | Parkinson-dementia complex of Guam | 332.1 | G12.21, F02.80, G20 | 332.1 | G20 |
| 702 | LBD | Parkinson-dementia complex of Guam | 332.1 | G12.21, F02.80, G20 | 332.1 | F02.80 |
| 703 | LBD | Parkinson-dementia complex of Guam | 332.1 | G12.21, F02.80, G20 | 332.1 | G12.21 |
| 704 | LBD | Parkinson's disease | NULL | G20 | NULL | G20 |
| 705 | LBD | Parkinson's disease | 332 | NULL | 332 | NULL |
| 706 | LBD | Parkinson's disease | 332 | G20.A1 | 332 | G20.A1 |
| 707 | LBD | Parkinson's disease dementia | 332.0, 294.10 | G20, F02.80 | 332 | F02.80 |
| 708 | LBD | Parkinson's disease dementia | 332.0, 294.10 | G20, F02.80 | 294.1 | F02.80 |
| 709 | LBD | Parkinson's disease dementia | 332.0, 294.10 | G20, F02.80 | 332 | G20 |
| 710 | LBD | Parkinson's disease dementia | 332.0, 294.10 | G20, F02.80 | 294.1 | G20 |
| 711 | LBD | Parkinson's disease dementia | 332.0, 294.10 | G20.A1, F02.80 | 294.1 | G20.A1 |
| 712 | LBD | Parkinson's disease dementia | 332.0, 294.10 | G20.A1, F02.80 | 294.1 | F02.80 |
| 713 | LBD | Parkinson's disease dementia | 332.0, 294.10 | G20.A1, F02.80 | 332 | F02.80 |
| 714 | LBD | Parkinson's disease dementia | 332.0, 294.10 | G20.A1, F02.80 | 332 | G20.A1 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------|---|--------------------|---------------------|--------|---------|
| 715 | LBD | Parkinson's disease without dyskinesia or fluctuating manifestations | 332 | G20.A1 | 332 | G20.A1 |
| 716 | LBD | Parkinson's disease without dyskinesia, with fluctuating manifestations | 332 | G20.A2 | 332 | G20.A2 |
| 717 | LBD | Parkinson's disease, Lewy body | 332.0, 331.82 | G31.83, F02.80 | 331.82 | F02.80 |
| 718 | LBD | Parkinson's disease, Lewy body | 332.0, 331.82 | G31.83, F02.80 | 332 | G31.83 |
| 719 | LBD | Parkinson's disease, Lewy body | 332.0, 331.82 | G31.83, F02.80 | 331.82 | G31.83 |
| 720 | LBD | Parkinson's disease, Lewy body | 332.0, 331.82 | G31.83, F02.80 | 332 | F02.80 |
| 721 | LBD | Parkinson's disease, unspecified whether dyskinesia present, unspecified whether manifestations fluctuate | 332 | G20.A1 | 332 | G20.A1 |
| 722 | LBD | Parkinson's plus syndrome | 332 | G20.C | 332 | G20.C |
| 723 | LBD | Parkinson's syndrome | 332 | G20.A1 | 332 | G20.A1 |
| 724 | LBD | Parkinsonian features | 781 | R29.818 | 781 | R29.818 |
| 725 | LBD | Parkinsonian tremor | 332 | G20.C | 332 | G20.C |
| 726 | LBD | Parkinsonism | 332 | G20.C | 332 | G20.C |
| 727 | LBD | Parkinsonism due to drug | 332.1, E980.5 | G21.19 | 332.1 | G21.19 |
| 728 | LBD | Parkinsonism due to drug | 332.1, E980.5 | G21.19 | E980.5 | G21.19 |
| 729 | LBD | Parkinsonism of lower half of body | 332 | G20.C | 332 | G20.C |
| 730 | LBD | Parkinsonism with orthostatic hypotension | 333 | G20.C, I95.1 | 333 | I95.1 |
| 731 | LBD | Parkinsonism with orthostatic hypotension | 333 | G20.C, I95.1 | 333 | G20.C |
| 732 | LBD | Parkinsonism, unspecified Parkinsonism type | 332 | G20.C | 332 | G20.C |
| 733 | LBD | Parkinsons | 332 | G20.A1 | 332 | G20.A1 |
| 734 | LBD | Parkinsons disease | 332 | G20.A1 | 332 | G20.A1 |
| 735 | LBD | Primary parkinsonism | 332 | G20.C | 332 | G20.C |
| 736 | LBD | Secondary parkinsonism due to other external agents | 332.1 | G21.2 | 332.1 | G21.2 |
| 737 | LBD | Secondary parkinsonism, unspecified secondary Parkinsonism type | 332.1 | G21.9 | 332.1 | G21.9 |
| 738 | LBD | Vascular parkinsonism | 332 | G21.4 | 332 | G21.4 |
| 739 | MCI | Amnesic MCI (mild cognitive impairment with memory loss) | 331.83 | G31.84 | 331.83 | G31.84 |
| 740 | MCI | Cognitive impairment, mild, so stated | 331.83 | G31.84 | 331.83 | G31.84 |
| 741 | MCI | MCI (mild cognitive impairment) | 331.83 | G31.84 | 331.83 | G31.84 |
| 742 | MCI | MCI (mild cognitive impairment) with memory loss | 331.83 | G31.84 | 331.83 | G31.84 |
| 743 | MCI | Mild cognitive disorder | 294.9 | F09 | 294.9 | F09 |
| 744 | MCI | Mild cognitive disorder | 294.9 | F09 | 294.9 | F09 |
| 745 | MCI | Mild cognitive impairment | 331.83 | G31.84 | 331.83 | G31.84 |
| 746 | MCI | Mild cognitive impairment with memory loss | 331.83 | G31.84 | 331.83 | G31.84 |
| 747 | MCI | Mild cognitive impairment, so stated | 331.83 | G31.84 | 331.83 | G31.84 |
| 748 | MCI | Mild neurocognitive disorder | 331.83 | G31.84 | 331.83 | G31.84 |
| 749 | MCI | Minimal cognitive impairment | 331.83 | G31.84 | 331.83 | G31.84 |
| 750 | MCI | Minor neurocognitive disorder | 294.9 | G31.84 | 294.9 | G31.84 |
| 751 | Other | Alzheimer's disease with early onset | 331 | G30.0, F02.80 | 331 | F02.80 |
| 752 | Other | Alzheimer's disease with early onset | 331 | G30.0, F02.80 | 331 | G30.0 |
| 753 | Other | Alzheimer's disease with early onset (CODE) | 331 | G30.0 | 331 | G30.0 |
| 754 | Other | Atypical progressive supranuclear palsy | 333 | G23.1 | 333 | G23.1 |
| 755 | Other | Cerebral amyloid angiopathy | NULL | I68.0 | NULL | I68.0 |
| 756 | Other | Cerebral amyloid angiopathy | 277.39, 437.9 | E85.4, I68.0 | 277.39 | I68.0 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------|---|--------------------|----------------------|--------|---------|
| 757 | Other | Cerebral amyloid angiopathy | 277.39, 437.9 | E85.4, I68.0 | 437.9 | I68.0 |
| 758 | Other | Cerebral amyloid angiopathy | 277.39, 437.9 | E85.4, I68.0 | 277.39 | E85.4 |
| 759 | Other | Cerebral amyloid angiopathy | 277.39, 437.9 | E85.4, I68.0 | 437.9 | E85.4 |
| 760 | Other | Cognitive and neurobehavioral dysfunction | 294.9 | F09 | 294.9 | F09 |
| 761 | Other | Complaint of memory disorder without observed objective memory deficit | 780.93 | R41.3 | 780.93 | R41.3 |
| 762 | Other | Corticobasal degeneration | 331.6 | G31.85 | 331.6 | G31.85 |
| 763 | Other | Corticobasal syndrome | 334.2 | G31.85 | 334.2 | G31.85 |
| 764 | Other | Dementia in Alzheimer's disease with early onset | 331.0, 294.10 | G30.0, F02.80 | 331 | G30.0 |
| 765 | Other | Dementia in Alzheimer's disease with early onset | 331.0, 294.10 | G30.0, F02.80 | 294.1 | G30.0 |
| 766 | Other | Dementia in Alzheimer's disease with early onset | 331.0, 294.10 | G30.0, F02.80 | 331 | F02.80 |
| 767 | Other | Dementia in Alzheimer's disease with early onset | 331.0, 294.10 | G30.0, F02.80 | 294.1 | F02.80 |
| 768 | Other | Dementia in Alzheimer's disease with early onset with behavioral disturbance | 331.0, 294.11 | G30.0, F02.818 | 294.11 | F02.818 |
| 769 | Other | Dementia in Alzheimer's disease with early onset with behavioral disturbance | 331.0, 294.11 | G30.0, F02.818 | 331 | F02.818 |
| 770 | Other | Dementia in Alzheimer's disease with early onset with behavioral disturbance | 331.0, 294.11 | G30.0, F02.818 | 331 | G30.0 |
| 771 | Other | Dementia in Alzheimer's disease with early onset with behavioral disturbance | 331.0, 294.11 | G30.0, F02.818 | 294.11 | G30.0 |
| 772 | Other | Dementia in Alzheimer's disease with early onset without behavioral disturbance | 331.0, 294.10 | G30.0, F02.80 | 294.1 | G30.0 |
| 773 | Other | Dementia in Alzheimer's disease with early onset without behavioral disturbance | 331.0, 294.10 | G30.0, F02.80 | 294.1 | F02.80 |
| 774 | Other | Dementia in Alzheimer's disease with early onset without behavioral disturbance | 331.0, 294.10 | G30.0, F02.80 | 331 | F02.80 |
| 775 | Other | Dementia in Alzheimer's disease with early onset without behavioral disturbance | 331.0, 294.10 | G30.0, F02.80 | 331 | G30.0 |
| 776 | Other | Dementia in Alzheimer's disease with early onset, without behavioral disturbance | 331.0, 294.10 | F02.80 | 331 | F02.80 |
| 777 | Other | Dementia in Alzheimer's disease with early onset, without behavioral disturbance | 331.0, 294.10 | F02.80 | 294.1 | F02.80 |
| 778 | Other | Dementia in corticobasal degeneration | 331.6, 294.10 | G31.85, F02.80 | 294.1 | F02.80 |
| 779 | Other | Dementia in corticobasal degeneration | 331.6, 294.10 | G31.85, F02.80 | 294.1 | G31.85 |
| 780 | Other | Dementia in corticobasal degeneration | 331.6, 294.10 | G31.85, F02.80 | 331.6 | F02.80 |
| 781 | Other | Dementia in corticobasal degeneration | 331.6, 294.10 | G31.85, F02.80 | 331.6 | G31.85 |
| 782 | Other | Dementia in progressive supranuclear ophthalmoplegia | 333.0, 294.10 | G23.1, F02.80 | 294.1 | F02.80 |
| 783 | Other | Dementia in progressive supranuclear ophthalmoplegia | 333.0, 294.10 | G23.1, F02.80 | 333 | F02.80 |
| 784 | Other | Dementia in progressive supranuclear ophthalmoplegia | 333.0, 294.10 | G23.1, F02.80 | 333 | G23.1 |
| 785 | Other | Dementia in progressive supranuclear ophthalmoplegia | 333.0, 294.10 | G23.1, F02.80 | 294.1 | G23.1 |
| 786 | Other | Dementia with visual impairment due to posterior cerebral cortical atrophy | 290.10, 369.9 | G31.9, F02.80, H54.7 | 290.1 | G31.9 |
| 787 | Other | Dementia with visual impairment due to posterior cerebral cortical atrophy | 290.10, 369.9 | G31.9, F02.80, H54.7 | 369.9 | G31.9 |
| 788 | Other | Dementia with visual impairment due to posterior cerebral cortical atrophy | 290.10, 369.9 | G31.9, F02.80, H54.7 | 290.1 | F02.80 |
| 789 | Other | Dementia with visual impairment due to posterior cerebral cortical atrophy | 290.10, 369.9 | G31.9, F02.80, H54.7 | 290.1 | H54.7 |
| 790 | Other | Dementia with visual impairment due to posterior cerebral cortical atrophy | 290.10, 369.9 | G31.9, F02.80, H54.7 | 369.9 | F02.80 |
| 791 | Other | Dementia with visual impairment due to posterior cerebral cortical atrophy | 290.10, 369.9 | G31.9, F02.80, H54.7 | 369.9 | H54.7 |
| 792 | Other | Early onset Alzheimer's dementia without behavioral disturbance | 331.0, 294.10 | G30.0, F02.80 | 331 | G30.0 |
| 793 | Other | Early onset Alzheimer's dementia without behavioral disturbance | 331.0, 294.10 | G30.0, F02.80 | 294.1 | G30.0 |
| 794 | Other | Early onset Alzheimer's dementia without behavioral disturbance | 331.0, 294.10 | G30.0, F02.80 | 331 | F02.80 |
| 795 | Other | Early onset Alzheimer's dementia without behavioral disturbance | 331.0, 294.10 | G30.0, F02.80 | 294.1 | F02.80 |
| 796 | Other | Early onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety, unspecified dementia severity | 331.0, 294.10 | G30.0, F02.80 | 331 | G30.0 |
| 797 | Other | Early onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety, unspecified dementia severity | 331.0, 294.10 | G30.0, F02.80 | 294.1 | G30.0 |
| 798 | Other | Early onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety, unspecified dementia severity | 331.0, 294.10 | G30.0, F02.80 | 331 | F02.80 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------|---|--------------------|---------------------|--------|---------|
| 799 | Other | Early onset Alzheimer's dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety, unspecified dementia severity | 331.0, 294.10 | G30.0, F02.80 | 294.1 | F02.80 |
| 800 | Other | Early onset Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.0, F02.818 | 294.11 | F02.818 |
| 801 | Other | Early onset Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.0, F02.818 | 331 | F02.818 |
| 802 | Other | Early onset Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.0, F02.818 | 294.11 | G30.0 |
| 803 | Other | Early onset Alzheimer's disease with behavioral disturbance | 331.0, 294.11 | G30.0, F02.818 | 331 | G30.0 |
| 804 | Other | History of progressive supranuclear palsy | V12.49 | Z86.69 | V12.49 | Z86.69 |
| 805 | Other | Idiopathic normal pressure hydrocephalus | 331.5 | G91.2 | 331.5 | G91.2 |
| 806 | Other | Mild early onset Alzheimer's dementia with anxiety | 331.0, 294.11 | G30.0, F02.A4 | 294.11 | G30.0 |
| 807 | Other | Mild early onset Alzheimer's dementia with anxiety | 331.0, 294.11 | G30.0, F02.A4 | 331 | F02.A4 |
| 808 | Other | Mild early onset Alzheimer's dementia with anxiety | 331.0, 294.11 | G30.0, F02.A4 | 294.11 | F02.A4 |
| 809 | Other | Mild early onset Alzheimer's dementia with anxiety | 331.0, 294.11 | G30.0, F02.A4 | 331 | G30.0 |
| 810 | Other | Normal pressure hydrocephalus | 331.5 | G91.2 | 331.5 | G91.2 |
| 811 | Other | Normal pressure hydrocephalus syndrome | 331.5 | G91.2 | 331.5 | G91.2 |
| 812 | Other | NPH (normal pressure hydrocephalus) | 331.5 | G91.2 | 331.5 | G91.2 |
| 813 | Other | Posterior Cortical Atrophy | 331.9 | G31.9 | 331.9 | G31.9 |
| 814 | Other | Posterior cortical atrophy | 331.9 | G31.9 | 331.9 | G31.9 |
| 815 | Other | Primary progressive aphasia | 784.3 | G31.01, F02.80 | 784.3 | F02.80 |
| 816 | Other | Primary progressive aphasia | 784.3 | G31.01, F02.80 | 784.3 | G31.01 |
| 817 | Other | Progressive aphasia in Alzheimer's disease | 331.0, 784.3 | G30.9, R47.01 | 331 | R47.01 |
| 818 | Other | Progressive aphasia in Alzheimer's disease | 331.0, 784.3 | G30.9, R47.01 | 784.3 | R47.01 |
| 819 | Other | Progressive aphasia in Alzheimer's disease | 331.0, 784.3 | G30.9, R47.01 | 331 | G30.9 |
| 820 | Other | Progressive aphasia in Alzheimer's disease | 331.0, 784.3 | G30.9, R47.01 | 784.3 | G30.9 |
| 821 | Other | Progressive supranuclear palsy | 333 | G23.1 | 333 | G23.1 |
| 822 | Other | Pseudodementia | 799.59 | R41.89 | 799.59 | R41.89 |
| 823 | Other | PSP (progressive supranuclear palsy) | 333 | G23.1 | 333 | G23.1 |
| 824 | Other | Secondary normal pressure hydrocephalus | 331.3 | G91.0 | 331.3 | G91.0 |
| 825 | Other | Subjective cognitive impairment | 799.59 | R41.89 | 799.59 | R41.89 |
| 826 | Other | Subjective memory complaints | 780.93 | R41.89 | 780.93 | R41.89 |
| 827 | VCI | Alterations of sensations, late effect of cerebrovascular disease(438.6) | 438.6 | I69.998, R20.9 | 438.6 | R20.9 |
| 828 | VCI | Alterations of sensations, late effect of cerebrovascular disease(438.6) | 438.6 | I69.998, R20.9 | 438.6 | I69.998 |
| 829 | VCI | Aphasia as late effect of cerebrovascular accident | 438.11 | I69.320 | 438.11 | I69.320 |
| 830 | VCI | Cerebral microvascular disease | 437.8 | I67.89 | 437.8 | I67.89 |
| 831 | VCI | Cerebral vascular disease | 437.9 | I67.9 | 437.9 | I67.9 |
| 832 | VCI | Cerebrovascular disease | 437.9 | I67.9 | 437.9 | I67.9 |
| 833 | VCI | Cerebrovascular disease, unspecified | NULL | I67.9 | NULL | I67.9 |
| 834 | VCI | Cerebrovascular disease, unspecified | 437.9 | I67.9 | 437.9 | I67.9 |
| 835 | VCI | Cerebrovascular small vessel disease | 437.9 | I67.9 | 437.9 | I67.9 |
| 836 | VCI | Cognitive deficits as late effect of cerebrovascular disease | 438 | I69.919 | 438 | I69.919 |
| 837 | VCI | Cognitive deficits following cerebrovascular disease | 438 | I69.919 | 438 | I69.919 |
| 838 | VCI | Cognitive deficits, late effect of cerebrovascular disease | 438 | I69.919 | 438 | I69.919 |
| 839 | VCI | Dementia, vascular | 290.4 | F01.50 | 290.4 | F01.50 |
| 840 | VCI | Dementia, vascular, mixed | 290.4 | F01.50 | 290.4 | F01.50 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------|--|--------------------|---------------------|---------|---------|
| 841 | VCI | Dementia, vascular, mixed, with behavioral disturbance | 290.41 | F01.518 | 290.41 | F01.518 |
| 842 | VCI | Dementia, vascular, mixed, without behavioral disturbance | 290.4 | F01.50 | 290.4 | F01.50 |
| 843 | VCI | DM (diabetes mellitus) type II controlled peripheral vascular disorder | 250.70, 443.81 | E11.51 | 250.7 | E11.51 |
| 844 | VCI | DM (diabetes mellitus) type II controlled peripheral vascular disorder | 250.70, 443.81 | E11.51 | 443.81 | E11.51 |
| 845 | VCI | Major neurocognitive disorder due to vascular disease, without behavioral disturbance, severe | 459.9, 294.9 | F01.C0 | 459.9 | F01.C0 |
| 846 | VCI | Major neurocognitive disorder due to vascular disease, without behavioral disturbance, severe | 459.9, 294.9 | F01.C0 | 294.9 | F01.C0 |
| 847 | VCI | Major neurocognitive disorder probably due to vascular disease, without behavioral disturbance | 294.2 | F03.90 | 294.2 | F03.90 |
| 848 | VCI | Memory deficit after cerebrovascular disease | 438.0, 780.93 | I69.911 | 438 | I69.911 |
| 849 | VCI | Memory deficit after cerebrovascular disease | 438.0, 780.93 | I69.911 | 780.93 | I69.911 |
| 850 | VCI | Mild vascular dementia with anxiety | 290.4 | F01.A4 | 290.4 | F01.A4 |
| 851 | VCI | Mild vascular neurocognitive disorder | 459.9, 294.9 | I99.9, F06.70 | 459.9 | F06.70 |
| 852 | VCI | Mild vascular neurocognitive disorder | 459.9, 294.9 | I99.9, F06.70 | 294.9 | F06.70 |
| 853 | VCI | Mild vascular neurocognitive disorder | 459.9, 294.9 | I99.9, F06.70 | 459.9 | I99.9 |
| 854 | VCI | Mild vascular neurocognitive disorder | 459.9, 294.9 | I99.9, F06.70 | 294.9 | I99.9 |
| 855 | VCI | Mixed cortical and subcortical vascular dementia with behavioral disturbance | 290.41 | F01.518 | 290.41 | F01.518 |
| 856 | VCI | Mixed cortical and subcortical vascular dementia without behavioral disturbance | 290.4 | F01.50 | 290.4 | F01.50 |
| 857 | VCI | Mixed cortical and subcortical vascular dementia, without behavioral disturbance | 290.4 | F01.50 | 290.4 | F01.50 |
| 858 | VCI | Mixed vascular and neurodegenerative dementia | 290.40, 290.8 | F01.50 | 290.4 | F01.50 |
| 859 | VCI | Mixed vascular and neurodegenerative dementia | 290.40, 290.8 | F01.50 | 290.8 | F01.50 |
| 860 | VCI | Mixed vascular and neurodegenerative dementia with behavioral disturbance | 290.40, 294.11 | F01.518 | 290.4 | F01.518 |
| 861 | VCI | Mixed vascular and neurodegenerative dementia with behavioral disturbance | 290.40, 294.11 | F01.518 | 294.11 | F01.518 |
| 862 | VCI | Mixed vascular and neurodegenerative dementia without behavioral disturbance | 290.40, 294.10 | F01.50 | 290.4 | F01.50 |
| 863 | VCI | Mixed vascular and neurodegenerative dementia without behavioral disturbance | 290.40, 294.10 | F01.50 | 294.1 | F01.50 |
| 864 | VCI | Mixed vascular and neurodegenerative dementia, with behavioral disturbance | 290.40, 294.11 | F01.518 | 290.4 | F01.518 |
| 865 | VCI | Mixed vascular and neurodegenerative dementia, with behavioral disturbance | 290.40, 294.11 | F01.518 | 294.11 | F01.518 |
| 866 | VCI | Mixed vascular and neurodegenerative dementia, without behavioral disturbance | 290.40, 294.10 | F01.50 | 290.4 | F01.50 |
| 867 | VCI | Mixed vascular and neurodegenerative dementia, without behavioral disturbance | 290.40, 294.10 | F01.50 | 294.1 | F01.50 |
| 868 | VCI | Moderate mild vascular neurocognitive disorder | 331.83 | F01.B0 | 331.83 | F01.B0 |
| 869 | VCI | Moderate vascular dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety | 290.4 | F01.B0 | 290.4 | F01.B0 |
| 870 | VCI | Mood disorder due to cerebrovascular accident | IMO0002 | IMO0002 | IMO0002 | IMO0002 |
| 871 | VCI | Multi-infarct dementia, without behavioral disturbance | 290.4 | F01.50 | 290.4 | F01.50 |
| 872 | VCI | Other late effects of cerebrovascular disease(438.89) | 438.89 | I69.998 | 438.89 | I69.998 |
| 873 | VCI | Other vascular headache | 784 | G44.1 | 784 | G44.1 |
| 874 | VCI | Probable major vascular neurocognitive disorder | IMO0001 | IMO0001 | IMO0001 | IMO0001 |
| 875 | VCI | Small vessel disease, cerebrovascular | 437.9 | I67.9 | 437.9 | I67.9 |
| 876 | VCI | Speech and language deficits, late effect of cerebrovascular disease | 438.1 | I69.928 | 438.1 | I69.928 |
| 877 | VCI | Speech and language deficits, late effect of cerebrovascular disease | 438.1 | NULL | 438.1 | NULL |
| 878 | VCI | Subcortical vascular dementia | 290.4 | F01.50 | 290.4 | F01.50 |
| 879 | VCI | Subcortical vascular dementia without behavioral disturbance | 290.4 | F01.50 | 290.4 | F01.50 |
| 880 | VCI | Subcortical vascular dementia, with behavioral disturbance | 290.41 | F01.518 | 290.41 | F01.518 |
| 881 | VCI | VAD (vascular dementia) | 290.4 | F01.50 | 290.4 | F01.50 |
| 882 | VCI | VAD (vascular dementia), with behavioral disturbance | 290.4 | F01.51 | 290.4 | F01.51 |

| No. | Category | DiagnosisNM | CurrentICD9ListTXT | CurrentICD10ListTXT | ICD9CD | ICD10CD |
|-----|----------|--|--------------------|---------------------|--------|---------|
| 883 | VCI | Vascular abnormality of brain | 747.81 | Q28.3 | 747.81 | Q28.3 |
| 884 | VCI | Vascular dementia of acute onset with behavioral disturbance | 290.41 | F01.518 | 290.41 | F01.518 |
| 885 | VCI | Vascular dementia of acute onset without behavioral disturbance | 290.4 | F01.50 | 290.4 | F01.50 |
| 886 | VCI | Vascular dementia with behavior disturbance | 290.4 | F01.518 | 290.4 | F01.518 |
| 887 | VCI | Vascular dementia with behavioral disturbance | 290.4 | F01.518 | 290.4 | F01.518 |
| 888 | VCI | Vascular dementia with delirium | 290.41 | F01.50, F05 | 290.41 | F05 |
| 889 | VCI | Vascular dementia with delirium | 290.41 | F01.50, F05 | 290.41 | F01.50 |
| 890 | VCI | Vascular dementia with delirium | 290.41 | F01.50, F05 | 290.41 | F05 |
| 891 | VCI | Vascular dementia with delirium | 290.41 | F01.50, F05 | 290.41 | F01.50 |
| 892 | VCI | Vascular dementia with delusions | 290.42 | F01.52 | 290.42 | F01.52 |
| 893 | VCI | Vascular dementia with depressed mood | 290.43 | F01.53 | 290.43 | F01.53 |
| 894 | VCI | Vascular dementia with paranoia | 290.42 | F01.52 | 290.42 | F01.52 |
| 895 | VCI | Vascular dementia without behavioral disturbance | 290.4 | F01.50 | 290.4 | F01.50 |
| 896 | VCI | Vascular dementia without behavioral disturbance, psychotic disturbance, mood disturbance, or anxiety, unspecified dementia severity | 290.4 | F01.50 | 290.4 | F01.50 |
| 897 | VCI | Vascular dementia, uncomplicated | 290.4 | F01.50 | 290.4 | F01.50 |
| 898 | VCI | Vascular dementia, with behavioral disturbance | 290.4 | F01.51 | 290.4 | F01.51 |
| 899 | VCI | Vascular dementia, without behavioral disturbance | 290.4 | F01.50 | 290.4 | F01.50 |
| 900 | VCI | Visual cortex disorder due to vascular disorder, right | 377.72 | H47.641 | 377.72 | H47.641 |